

HRH Pallet mover

With capacities of 2,000 kg

The HRH Premium Truck

When your looking for the ultimate walk behind forklift that's not only engineered to work but geared to deliver, look no further than the High range Hammer.

From its high powered AC drive motor requiring minimal maintenance to its innovative regenerative braking system and anti slope slide feature, this walk behind fork truck is the ultimate king of the warehouse. Its an absolute beauty with power steering and simple to maneuver.

Durable frame construction, with integrated welded forks, create a high rigidity structure which increases service life and quality. Couple an integrated ZF transmission and an all-new butterfly drive controller and you have an industry-leading extremely smooth and easy machine to operate. This is an operators dream.



Options available include cold storage

Productivity

Well designed and extremely compact the Hi Range Hammer can turn on a dime and is at home in environments where space is limited.


Quality components like a powerful AC traction motor,
Curtis control system, MOSFET high-frequency control and industry-leading Wicke wheels set this machine apart from the rest.

A unique steering pivot design ingeniously slows the motor speed during operation ensuring smoothness and safety and shock absorbers on the castor wheels ensure the trucks operational life is extended to the full.

Ergonomics

The primary consideration when developing the HRH series was operator safety and comfort. With an ergonomically designed tiller operator comfort and control has been improved to the Max. Dual lift/ lower button controls allow operation by either hand, extremely comfortable and easy to operate. A creep speed control button is available for that extra control in tight narrow spaces. Every aspect of the HRH series has been considered to ensure maximum visibility and safety through superior design and innovation.

The HRH Pallet movers are best in class providing advanced technologies and innovation. Class 3 walk behind forklift champions



Servicability

A battery discharge indicator automatically cuts in when the battery reaches 20% of its capacity. This failsafe protects the battery from damage and increases the lifespan of the equipment.

IP54 environment sealing on the components ensures usability and protection against

Standard Specs

The use of Poly wheels provides the Hammer with greater load-bearing capacity while still providing the benefits of a rubber tread, such as noise reduction, shock absorption, and floor protection.



Electric power steering (EPS) is standard and provides flexible effortless operation.

Polyurethane tires rule in applications where protecting the floor is critical. An AC drive motor and control system ensures the user has greater control over the machine at all times and provides energy savings.

A combined hydraulic unit, easy to read LED display and a powerful 220Ah battery com-

Options

Fork length configurationsw 900mm, 923mm, 973mm, 1000mm, 1019mm, 1023mm, 1125mm, Fork distances 520mm, 560mm, 670mm Tandem load wheels High-frequency auto charger





CONTACT

Lift Equipt Pty LTD 4 Sobek Pass Bibra Lake Perth WA 6163

> 1300 444422 liftequipt.com.au

