

2022

OFF-ROAD
VEHICLES

POLARIS
Think Outside

YOUTH | AGRICULTURE/UTILITY | COMMERCIAL/UTILITY | WORK AND PLAY | SPORT/RECREATIONAL




▶ PETROL ▶ DIESEL ▶ ELECTRIC

ABOUT US

GLOBAL MANUFACTURER
AUSTRALIAN & NEW ZEALAND SUBSIDIARY
NATIONAL SALES AND SERVICE NETWORK

- Polaris Australia & New Zealand is a fully-owned subsidiary of parent company and US powersports giant Polaris Inc (NYSE: PII), providing full sales and aftersales support to Australian and New Zealand customers.
- Polaris has a national network of franchised dealers covering all major locations across Australia & New Zealand.
- Polaris dealers are fully trained and capable of providing all local technical and service support.
- Polaris SxS are the number 1 selling brand in both Australia & New Zealand.



2021
2020
2019
2018
2017
2016



TABLE OF CONTENTS

POLARIS INTERNATIONAL CORPORATE	6	
POLARIS SAFETY & TECHNOLOGY	8	
SHOP ON LINE	9	
POLARIS SAFETY AND TECHNOLOGY	10	
IS MID SIZE YOUR SIZE	12	
POLARIS GOVT & DEFENCE, COMMERCIAL	14	
REV'D UP - POLARIS' ELECTRIFICATION STRATEGY	16	
PGA	18	
TIPS ON SERVICE & MAINTENANCE	26	
YOUTH		
RANGER 150 EFI	30	
RZR 200 EFI	32	
AGRICULTURE/UTILITY		
RANGER 500	38	
RANGER 570 HD EPS ADC	40	
RANGER SP 570 EPS PREMIUM	42	
RANGER EV	44	
RANGER 1000 EPS	46	
RANGER 1000 EPS PREMIUM	48	
RANGER XP 1000 HD EPS ADC	50	
RANGER DIESEL HD EPS ADC	52	
RANGER XP 1000 EPS PREMIUM NORTHSTAR	54	
RANGER XP KINETIC PREMIUM EPS	56	
RANGER XP KINETIC ULTIMATE EPS	58	
RANGER CREW SP 570 EPS	60	
RANGER CREW XP 1000 PREMIUM EPS	62	
RANGER CREW XP 1000 NORTHSTAR PREMIUM	64	
COMMERCIAL/UTILITY		
PRO XD DIESEL AWD EPS	72	
PRO XD DIESEL CREW AWD EPS	74	
RANGER EV	44	
RANGER XP KINETIC PREMIUM EPS	56	
RANGER XP KINETIC ULTIMATE EPS	58	
WORK AND PLAY		
GENERAL 1000 EPS PREMIUM - 60"	78	
GENERAL 1000 EPS DELUXE - 60"	80	
GENERAL XP 1000 EPS DELUXE - 64"	82	
GENERAL XP 4 1000 EPS DELUXE - 64"	84	
SPORT/RECREATIONAL		
RZR TRAIL 900 EPS PREMIUM - 50"	90	
RZR TRAIL S 1000 PREMIUM - 60"	92	
RZR XP 1000 SPORT EPS - 64"	94	
RZR XP 4 1000 SPORT EPS - 64"	96	
RZR PRO XP SPORT EPS - 64"	98	
RZR PRO XP PREMIUM EPS - 64"	100	
RZR PRO XP ULTIMATE EPS - 64"	102	
RZR PRO XP 4 SPORT EPS - 64"	104	
RZR PRO XP 4 ULTIMATE - 64"	106	
RZR PRO R & RZR TURBO R FEATURING	108	
RZR PRO R & RZR TURBO R TECH	114	
RZR TURBO R ULTIMATE EPS - 74"	116	
RZR TURBO R 4 ULTIMATE EPS - 74"	118	
RZR PRO R ULTIMATE EPS - 74"	120	
RZR PRO R 4 ULTIMATE EPS - 74"	122	
SPECIFICATIONS		126





POLARIS 2022 MODEL LINE UP




YOUTH



RANGER 150 EFI



RZR 200 EFI



AGRICULTURE/UTILITY



RANGER 500



RANGER 570 HD EPS ADC



RANGER SP 570 EPS PREMIUM



RANGER EV



RANGER 1000 EPS



RANGER 1000 EPS PREMIUM



RANGER XP 1000 HD EPS ADC



RANGER DIESEL HD EPS ADC



RANGER XP 1000 NORTHSTAR PREMIUM



RANGER XP KINETIC PREMIUM EPS



RANGER XP KINETIC ULTIMATE EPS



RANGER CREW SP 570 EPS



RANGER CREW XP 1000 PREMIUM EPS



RANGER CREW XP 1000 NORTHSTAR PREMIUM

COMMERCIAL/UTILITY



PRO XD DIESEL AWD EPS



PRO XD DIESEL CREW AWD EPS



RANGER EV



RANGER XP KINETIC PREMIUM EPS



RANGER XP KINETIC ULTIMATE EPS

WORK AND PLAY



**GENERAL 1000 EPS
PREMIUM - 60"**



**GENERAL 1000 EPS DELUXE
- 60"**



**GENERAL XP 1000 EPS
DELUXE - 64"**



**GENERAL XP 4 1000 EPS
DELUXE**

SPORT/RECREATIONAL



**RZR TRAIL 900 EPS
PREMIUM - 50"**



**RZR TRAIL S 1000 PREMIUM
- 60"**



**RZR XP 1000 SPORT EPS
- 64"**



**RZR XP 4 1000 SPORT EPS
- 64"**



RZR PRO XP SPORT EPS - 64"



**RZR PRO XP PREMIUM EPS
- 64"**



**RZR PRO XP ULTIMATE EPS
- 64"**



**RZR PRO XP 4 SPORT EPS
- 64"**



**RZR PRO XP 4 ULTIMATE
- 64"**



**RZR TURBO R ULTIMATE
EPS - 74"**



**RZR TURBO R 4 ULTIMATE
EPS - 74"**



**RZR PRO R ULTIMATE EPS
- 74"**



**RZR PRO R 4 ULTIMATE
EPS - 74"**




POLARIS AT A GLANCE

Polaris is a global leader in the powersports and outdoor recreation industries. Driven by innovation, we offer a diverse portfolio of best-in-class brands that reflect our pioneering approach to help our customers work and play outdoors.

Please Note: Not all brands and products are available in Australia.
For Australia Product Range - www.polarisaustralia.com
For International Corporate Product Range - www.polaris.com



Founded:
1954
in Roseau, MN, USA



2021 Sales:
\$8.2
Billion



Brands:
30+



Employees: Nearly
15,000
Globally



Countries Served:
100+

POLARIS
OFF ROAD



Indian
MOTORCYCLE



POLARIS
SNOWMOBILES



 **SLINGSHOT**



POLARIS | COMMERCIAL



POLARIS
TIMBERSLED



BENNINGTON



GODFREY



Hurricane




POLARIS
ADVENTURES



POLARIS
PARTS, GARMENTS & ACCESSORIES



RENTALS



USING YOUR SxS VEHICLE SAFELY

A message from Polaris about how to use your SxS vehicle safely.

Polaris has engineered the most capable utility and recreational off-road vehicles packed with safety technology such as Engineered Roll Over Protection (ROPS) Roll Cages, Active Decent Control (ADC), True On Demand All Wheel Drive and more. However when operating a side by side vehicle off-road, the Driver/User and passengers must ensure that they operate the vehicle safely. Here are a few Tips and Hints on how to enjoy your Side by side vehicle safely.

TIPS



Always wear a seat belt. Most injuries occur from passengers or limbs being ejected from the vehicle during an accident. Seat belts are your best friend.



An appropriate helmet is recommended for all occupants (Driver & Passengers). The more passengers in a vehicle, the more likelihood of "head to head" impacts.



- Be aware of HIGH RISK situations such as sloping and hilly Terrain.
- Slow is best when navigating hilly or obstructed terrain.
- In these higher risk situations always use LOW RANGE.




- Overloading – Your Polaris is designed to carry a certain maximum load (which varies from model to model). Never exceed the maximum load and remember a loaded vehicle may handle and respond differently to an empty vehicle.



- Be aware of your vehicle condition. In particular it is a good habit throughout your driving day to visually check that your tyres are correctly inflated and you have not picked up a puncture or have a partially inflated tyre. Correct tyre pressures are important for traction and handling.


ALWAYS WEAR A HELMET, SEAT BELT AND USE SAFETY NETS OR DOORS FOR YOUR PROTECTION



Helmet



Seat Belt



Safety Nets

THINK OUTSIDE SHOP ONLINE

SHOP | **POLARIS**
www.shoppolaris.com.au



Your 24/7/365 online Accessory & Merchandise store. Browse - Order - Deliver straight to your door.



BAG 0620 0900 RED ROLLER



POLARIS WATER BOTTLE - CAMO



MEN'S SOFTSHELL JACKET - BLUE/ORANGE



RZR PATCH HAT - GRAY/BLUE



YOUTH TRAIL GOGGLES WITH ANTI-SCRATCH LENS - BLACK



POLARIS 12 OZ. CAMPER MUG



NECK WARMER - BLACK



OFF-ROAD RIDING GLOVE - RED/BLACK



WATCH NOW

POLARIS SAFETY AND TECHNOLOGY



YOUTH VEHICLES

Our youth models are packed with safety features and benefits such as roll cages, seat belts, two free helmets, geofencing technology, password protected safe start, digital speed limiting, seat belt interlocking system and all-new helmet aware technology.



SPEED CONTROL & GEOFENCING TECHNOLOGY

The Speed Control & Geofencing Technology accessory kit keeps vehicle operators safe by controlling maximum speed in specified operating areas and can be programmed via the Polaris Ride Command app.



FREE HELMETS:

To promote safe riding practices, Polaris offers 2 free helmets with the purchase of every RANGER SxS vehicle.



ACTIVE DECENT CONTROL

Active Decent Control (ADC) is a game-changer in steep terrain. When you're driving down a slippery or steep hill, engaging ADC will optimize vehicle grip so you can descend with confidence.



TRUE ON-DEMAND AWD

Polaris' fast-engaging, True On-Demand AWD is a cut above the rest. Get the traction you need, when you need it, for rough terrain.



RIDE COMMAND

Ride Command keeps you connected, even without a signal. Through the in-dash display, you can access your maps and location and send messages to your group via Group Ride Messaging. With other features like an integrated rear camera, we're always looking for ways to improve safety through technology.



VEHICLES ENGINEERED WITH SAFETY IN MIND

Polaris SxS vehicles are designed with safety in mind. The youth models are equipped with a Full Protective Cage and all Adult models with a Certified Roll Over Protection System (ROPS), seat belts or harnesses, and doors or nets with full door systems available.

POLARIS
RANGER

"You can purchase a mid-size Polaris RANGER for not much more than the price of a quad bike, but it will do a heck of a lot more."

- "Mark Larkham"

"Is
Mid
Size
Your
Size"

QUAD BIKE



122cm

MID-SIZE




147cm

FULL-SIZE



158cm



WATCH NOW

Mid-Size means it's a little shorter and a little narrower than the full-sized 3-seat range, but that also means it's more nimble, more manageable and more manoeuvrable.

WE ALL CAN HELP CREATE MORE LAND ACCESS FOR SXS DRIVING

JOIN AORVA TODAY – IT'S FREE TO JOIN



THE AUSTRALASIAN OFF ROAD VEHICLE ASSOCIATION NEEDS YOU

AORVA, pronounced "Or-Va", is a free to join, not for profit association that needs your support to help achieve greater riding location access throughout Australasia. Joining AORVA is like signing a petition that helps us lobby Governments for fair and reasonable ORV access to public land. When you have joined, you will also get higher level Member benefits and website access.

By joining the Australasian Off Road Vehicle Association your membership adds weight to our efforts to gain more access to both private and public land for SxS Recreational driving.

PLEASE JOIN AORVA TODAY




To find out more and become a member please visit www.aorva.com.au

CREATE YOUR OWN MEMORIES IN THE GREAT AUSSIE OUTDOORS

POLARIS, FAMILY & MATES
DRIVING MEMORIES MONEY CAN'T BUY



*"I couldn't put a value on the time I spend with mates & my family
In a remote Aussie bush setting"*



WATCH NOW



*ONLY THE BEST FOR
OUR BRAVEST*

Polaris is the trusted choice for light tactical mobility for the Australian Defence Force, U.S. Army and Special Forces, and Allied Forces worldwide. With the all-new, redesigned MRZR Alpha, MRZR Diesel, DAGOR A1 and Sportsman MV850, Polaris offers a complete line up that delivers the mobility, versatility and capability military personnel need in operations – from tactical missions to base support.





**JOIN THE POLARIS
CORPORATE
FLEET
PROGRAM**

Benefits:

- The biggest and best range of utility vehicles
- Petrol, diesel and electric power sources
- 2, 3, 4 and 6 seat models with Certified Roll Over Protection Systems (ROPS)
- Large range of Polaris engineered accessories for safety, comfort and functionality
- Fleet discounts on vehicles, accessories and service parts
- Expertise and service from a qualified national dealer network

Contact us today: info@polariscommercial.com.au

LEADING THE WORLD IN OFF-ROAD ELECTRIFICATION

POLARIS
ZERO
MOTORCYCLES®

ELECTRIC ADVANTAGES

In 2020, Polaris announced a 10-year exclusive partnership with Zero Motorcycles – a global leader in electric motorcycle powertrains and technology – to co-develop electric vehicles as part of Polaris' rEV'd up electrification strategy. Polaris aims to offer customers an electric vehicle option within each core product segment across off-road vehicles and snowmobiles by 2025.

This isn't electrification for electrification's sake. We're always leading the charge, exploring new technologies to drive innovation off-road, with high-performance electric powertrains creating a way to unlock the potential of what you do outdoors. It's allowed us to design vehicles with more power and more torque to make the most capable SxS ever built. Period.

The first new model from this collaboration is the 2022 Ranger XP Kinetic.



**ULTRA-QUIET
RIDE**



**INSTANT
ACCELERATION**



**TOW HEAVY
PAYLOADS**



**LOWER COST TO
MAINTAIN**

THINGS YOU'LL NEVER DO AGAIN



BUY PETROL



CHANGE
ENGINE OIL



CHANGE
FUEL FILTER



REPLACE
SPARK PLUGS



CHECK EXTERNAL
FUEL HOSES



CHANGE
AIR FILTER

RANGER XP KINETIC




WATCH NOW

All-Electric RANGER XP Kinetic
Hard Working Help
Polaris Off-Road

/Polaris Australia

POLARIS

GENUINE PARTS & ACCESSORIES





RANGER DIESEL HD EPS ACCESSORY IDEAS

- 1. Glass tip out screen #2889031
- 2. Bull bar and side rail kit #AUST548
- 3. Poly half door #2882559
- 4. Tip down Headache rack #2881531
- 5. Premium poly sport roof #2882912
- 6. Poly rear panel #2883773
- 7. Pro Armor 81cm single-row light bar #2884299



RANGER 500/570 ACCESSORY IDEAS

- 1. Steel half doors #AUST510
- 2. Tip out front screen #2881784
- 3. Matte black six'r alloy rims #1521507-521
- 4. Pro Armor attack tyres #5415613
- 5. Canvas seat covers #P7720
- 6. Front brushguard #2879973
- 7. Polysport roof #2883236
- 8. Cargo max system #2882177
- 9. Rear poly panel #2879812
- 10. Rear brushguard #2879972
- 11. Pro Armor 25cm dual row light bar #2882075
- 12. Work beacon led light #2883265

FOR YOUR
COMFORT,
SAFETY
&
PROTECTION



RANGER 1000 EPS ACCESSORY IDEAS

- 1. Premium poly sports roof #2882912
- 2. Tip out windscreen #2889013
- 3. Poly rear panel #2883773
- 4. Steel half doors #AUST508
- 5. Scrub bar and side rail kit #AUST555
- 6. Work beacon led light #2883265
- 7. Ranger snorkel kit #AUST403



RANGER XP 1000 CREW NORTHSTAR ACCESSORY IDEAS

- 1. Crew - Poly sports roof #2883274
- 2. Full glass windshield #2889030
- 3. Windshield wiper kit #2883974
- 4. 76cm Pro Armor dual row light bar #2882074
- 5. 25cm Rear-facing Rigid light bar #2883123
- 6. Crew - Rock guard with step #2883398
- 7. Poly front doors #2882561
- 8. Poly rear doors #2883437
- 9. 2,041kg Pro heavy duty winch #2882711
- 10. Front hood storage rack #2882690
- 11. Rear cargo max system #2882177



Mark Larkham talks
about Polaris Genuine
Accessories .

POLARIS GENUINE ACCESSORIES

"GET MORE DONE"
-Mark Larkham



Polaris Off-Road Vehicle Doors




 /Polaris Australia

Polaris Off-Road Vehicle Windscreens



 /Polaris Australia

Polaris Off-Road Vehicle Roofs



 /Polaris Australia

LOCK & RIDE




LARKO EXPLAINS LOCK & RIDE

Polaris' innovative LOCK & RIDE system allows for the quick and easy fitment and exchange of a wide selection of different accessories.

Most accessories using the LOCK & RIDE system do not require tools for accessory fitment.

Simply use the LOCK & RIDE toggle system to quickly remove and refit different accessories for different work tasks.

POLARIS LOCK & RIDE - GET MORE DONE



WATCH NOW

POLARIS
ENGINEERED
ACCESSORIES

ENGINEERED FOR MORE

Leaders never stop pushing for more. An unrelenting pursuit of innovation, performance and unyielding dependability defines *RANGER*® as the Hardest Working, Smoothest Riding,® utility vehicle in the world. Developed and tested along with the *RANGER XP*® 1000, Polaris Engineered Accessories™ are designed for seamless integration and simple installation, so riders can leverage the full capabilities of the machine and maximize efficiencies to get more done, year-round.

PRO PRO HEAVY DUTY SERIES

WINCHES

**INTEGRATED
WINCH**

Designated mounting points and pre-wired contactors ensure a perfect fit and the strongest place to attach the Polaris Engineered™ winch - the most dependable winch for your *RANGER*®. With wiring built right into the vehicle, we made this the easiest *RANGER*® winch ever made to install.

THE TIGHTEST SEALING CAB

With the profile channels engineered into the roll cage, body plastics molded to seal and cab accessories designed to keep the elements out, the *RANGER* Pro Shield™ Cab System offers an industry-leading, 3x better dust seal.

RANGER
PRO SHIELD
CAB SYSTEM

POLARIS
PULSE
Electrical System

**PLUG & PLAY
ELECTRICAL**

A revolution in electrical accessory integration, the Polaris Pulse™ Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories™.

LOCK & RIDE

**CARGO BOX
VERSATILITY**

Lock & Ride® mounting locations allow for limitless customization to let you work the way you want.





 **RHINO-RACK**[®]
MAKE SPACE FOR ADVENTURE



BRING IT ALL. BRING IT ON.

From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive, purpose-built roof racks, bed racks and accessories to help Polaris RANGER and GENERAL users have more fun and get more done. Increase storage capacity so you can go where you want with everything you need, organized to succeed.



RANGER



ROOF OR BED RACK

Rust-resistant Rhino-Rack® rack systems are designed to fit with ease onto your RANGER.

ATTACH WITH MOUNT

Mounts are required to install bed and roof racks on your RANGER. Some assembly is required.

ADD ACCESSORIES

Pack more into your adventure ahead with a broad range of superior-quality Rhino-Rack® accessories.

READY TO RIDE!

Whether you're on the trail of work or play, Polaris and Rhino-Rack® will help you stay prepared for whatever the day may bring.

GENERAL



BED RACK

Rhino-Rack's® rust-proof storage system allows you to mount to the bed of your vehicle for maximum storage. Mounts are included.

ADD ACCESSORIES

Pack more into your adventure ahead with a broad range of superior-quality Rhino-Rack® accessories.

READY TO RIDE!

Whether you're on the trail of work or play, Polaris and Rhino-Rack® will help you stay prepared for whatever the day may bring.

TIPS ON SERVICE & MAINTENANCE

PREVENTATIVE MAINTENANCE IS THE BEST KIND OF MAINTENANCE

Most Polaris drivers are using their vehicle for work or play. In either circumstance, you don't want to be let down at the most inconvenient time. The better you maintain your Polaris, the more reliable it will be. Here are a few tips to ensure you get the very best Polaris reliability always.

UTILITY/WORKING ENVIRONMENT

If you are using your Polaris in a work environment, you might be surprised just how quickly you clock up the hours on the vehicle. There are certain key parts that need to be inspected and maintained more regularly for the very best performance and reliability.

It's recommended that regular inspection and maintenance where needed is carried out on

- **FLUID LEVELS**
Check Water and Engine Oil levels every week
- **WEAR PARTS**
Check Tyres for signs of damage or underinflation daily
Check Air filter and replace more regularly if operating in Dry & Dusty conditions

RECREATIONAL DRIVING

If you use your Polaris for Sport/Recreation, you may not use it on a regular basis with time gaps in between. To avoid disappointment when you get out to your driving destination, it's recommended to always check the following items a couple of days in advance:

- Battery charge.
- Tyre inflation and condition.
- Fluid levels – particularly Water and Engine Oil. If low levels are detected check for leaks.
- Brake pedal pressure.
- Start up the engine and let it warm up for 5 minutes then check for leaks.

THE POLARIS OWNERS MANUAL OUTLINES RECOMMENDED MAINTENANCE & SERVICE INTERVALS FOR EACH MODEL. YOUR POLARIS DEALER CAN PROVIDE ADVICE SPECIFICALLY RELATING TO YOUR PARTICULAR DRIVING CONDITIONS AND OPERATION. AT LEAST ANNUALLY, OR PER THE SERVICE INTERVALS (HOURS/KLMS) ADVISED, YOUR POLARIS DEALER SHOULD PERFORM A THOROUGH INSPECTION AND SERVICE.

THE BETTER YOU MAINTAIN YOUR VEHICLE THE MORE RELIABLE IT WILL BE



YOUR LOCAL POLARIS DEALER

YOUR LOCAL POLARIS EXPERT - WILL STEER YOU RIGHT

LOCAL KNOWLEDGE & SUPPORT BACKED UP
BY AUSTRALIA'S #1 SELLING SXS BRAND

Your local Polaris Dealer is usually an independently owned business with significant experience in the local area. Most likely your Polaris Dealership is a family business which is often been in operation for two or more generations.

Your Polaris Dealer has made a significant investment in training, staff and resources to be able to provide our customers with the very best in after sales service and support.

YOUR LOCAL POLARIS DEALER OFFERS:

- Service Technicians that are fully trained and certified by the University of Polaris.
- Online Technical and Warranty support from the Polaris Technical Centre.
- Fully trained sales staff who know the local area and operating conditions and which is the best Polaris vehicle to recommend for your needs.
- A complete range of new vehicles (stock availability permitting).
- A comprehensive inventory of the most common service/ maintenance parts.
- A representative range of Genuine Polaris Engineered Accessories to fit your vehicle and meet your needs that allows you to GET MORE DONE in safety and comfort.
- Some Dealers offer Pickup and Delivery services. Costs may apply.



POLARIS
TRAINING & CERTIFICATION



YOUTH



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



*MODEL SHOWN WITH OPTIONAL ACCESSORIES

POLARIS YOUTH

Polaris promotes rider safety and leads the way with youth models suitable for kids aged 10 years and older. Youth models feature a roll cage, speed limiter, safety nets and a safety flag all standard. Optional extra accessories can be added to Youth models.

CHOOSE YOUR YOUTH MODELS

RANGER 150 EFI



RZR 200 EFI



- 1 POLY SPORT ROOF #2883289
- 2 HARD COAT POLY FULL WINDSHIELD #2883300
- 3 FRONT & REAR BRUSHGUARD SET #2883287
- 4 HALF DOORS #2889022

INDUSTRY FIRST SAFETY
TECHNOLOGY FOR PARENTS'
PEACE OF MIND.



RANGER 150 EFI



Colour: Sage Green



4 STROKE ENGINE
- 150CC



PASSCODE
PROTECT



POLARIS
VARIABLE
TRANSMISSION



ELECTRIC
START



4-WHEEL
HYDRAULIC DISC



DAYTIME LED
RUNNING LIGHTS



ELECTRONIC FUEL
INJECTION



RIDE COMMAND
WITH GEOFENCING
AND SPEED
LIMITING CONTROL



REVERSE GEAR



TWO APPROVED
YOUTH HELMETS

YOUTH

ENGINE & DRIVETRAIN

Displacement / Engine Type	150cc / 4-Stroke Single Cylinder EFI
Drive System Type	2WD

SUSPENSION

Front Suspension	Single A-Arm with 13 cm Travel
Rear Suspension	Dual Shock Swingarm with 15.2 cm Travel
Front Tyres	22 x 7-10 Wanda
Rear Tyres	22 x 10-10 Wanda
Wheels	Stamped Steel

DIMENSIONS

Dump Box Dimensions (L x W x H)	53.3 x 106.7 x 12.7 cm
Fuel Capacity	9.5 L
Ground Clearance	20.3 cm
Vehicle Size (L x W x H)	215.9 x 121.9 x 147.3 cm
Payload Capacity	170 kg
Box Capacity	22.7 kg
Wheelbase	165.1 cm
Estimated Dry Weight	305 kg

ADDED FEATURES

Other Standard Features

Seat Belt, Safety Flag, Safety Nets, Full Protective Cage 2 Youth Helmets, Training DVD, Youth Ride Control (Pin Code Start, Adjustable Speed Limiter, Geofencing, Helmet Aware).

Speed Limiter

The speed of this vehicle is restricted to under 26 km/h at manufacture. The speed limiting device may be adjusted by supervising adults when they determine that their child is capable of handling additional speed. The unrestricted top speed for this model is 46 km/h

Age Limit

Suitable for ages 10 and over

FUN FOR TWO - FOR THOSE WHO DO LIKE TO SHARE.

RZR 200 EFI



- 1** POLY ROOF #2884572
- 2** HALF WINDSHIELD #2884571
- 3** PRO ARMO ALLOY WHEELS #2889410
- 4** PRO ARMO TYRES #5417953
- 5** FRONT BRUSHGUARD #2877813
- 6** KICK-OUT ROCK SLIDER #2885146

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR 200 EFI



Colour: White/Red



4 STROKE ENGINE
- 180CC



SPEED LIMITER



POLARIS
VARIABLE
TRANSMISSION



HELMET
AWARE
TECHNOLOGY



RIDE COMMAND
WITH GEOFENCING
AND SPEED
LIMITING CONTROL



ELECTRONIC FUEL
INJECTION



DISC BRAKES
FRONT & REAR



ELECTRIC
START



TWO APPROVED
YOUTH HELMETS

YOUTH

ENGINE & DRIVETRAIN

Displacement / Engine Type	180 cc / 4-Stroke Single Cylinder EFI
Drive System	2WD

SUSPENSION

Front Suspension	Dual A-Arm with 17.8 cm Travel
Rear Suspension	Independent Rear Suspension with 17.8 cm Travel
Front Tyres	24 x 8 - 12 CST
Rear Tyres	24 x 10 - 12 CST
Wheels	Stamped Steel


DIMENSIONS

Bed Box Dimensions (L x W x H)	41.9 x 48.3 x 10.1 cm
Fuel Capacity	9.5 L
Ground Clearance	25.4 cm
Vehicle Size (L x W x H)	225.6 x 121.9 x 151.2 cm
Payload Capacity	170 kg
Box Capacity	22.7 kg
Wheelbase	165.1 cm
Estimated Dry Weight	334 kg

ADDED FEATURES

Lighting	LED Running Lights, Single Rear Breaklight/Taillight
Other Standard/Package Features	Seat Belt, Safety Flag, Safety Nets, Full Protective Cage, 2 Youth Helmets, Training DVD, Youth Ride Control (Pin Code Start, Adjustable Speed Limiter, Geofencing, Helmet Aware).
Age Limit	Suitable for ages 10 and over

SAFETY AT YOUR FINGERTIPS





DARE TO COMPARE

RANGER 150 EFI



RZR 200 EFI



COMPARE THE FACTS	RANGER 150 EFI	RZR 200 EFI	THERE ARE NO COMPETITORS
HELMET	Yes ✓	Yes ✓	
SAFETY FLAG	Yes ✓	Yes ✓	
SAFETY TETHER	Yes ✓	Yes ✓	
SPEED LIMITER	Yes ✓	Yes ✓	
HEADLIGHTS	Yes ✓	Yes ✓	
ENGINE CAPACITY (CC)	150cc	180cc ✓	
ELECTRONIC FUEL INJECTION (EFI)	Yes ✓	Yes ✓	
ELECTRIC START	Yes ✓	Yes ✓	
TRANSMISSION	Automatic ✓	Automatic ✓	
REVERSE GEAR	Yes ✓	Yes ✓	
SUSPENSION TRAVEL FRONT/REAR (MM)	130 / 152	178 / 178 ✓	
RIDE COMMAND WITH GEOFENCING	Yes ✓	Yes ✓	
ROLL OVER PROTECTION STRUCTURE	Yes ✓	Yes ✓	
ADJUSTABLE STEERING WHEEL	Yes ✓	Yes ✓	
ADJUSTABLE DRIVER SEAT	Yes ✓	Yes ✓	

AGRICULTURE/UTILITY



*MODEL SHOWN WITH OPTIONAL ACCESSORIES





CHOOSE YOUR AGRICULTURE/UTILITY MODELS

RANGER 500



**RANGER 570 HD
EPS ADC**



**RANGER SP 570
EPS PREMIUM**



RANGER EV



RANGER 1000 EPS



**RANGER 1000 EPS
PREMIUM**



**RANGER XP 1000
HD EPS ADC**



**RANGER DIESEL HD
EPS ADC**



**RANGER XP 1000
EPS PREMIUM
NORTHSTAR**



**RANGER XP
KINETIC PREMIUM
EPS**



**RANGER XP
KINETIC ULTIMATE
EPS**



**RANGER CREW SP
570 EPS
4 SEATS**



**RANGER CREW XP
1000 PREMIUM EPS
6 SEATS**



**RANGER CREW XP
1000 NORTHSTAR
PREMIUM
6 SEATS**



POLARIS AGRICULTURE/UTILITY

Polaris is not only Australia's #1 Side x Side Vehicle Brand* but it is also the world leader and delivers the most complete lineup of off-road utility vehicles to suit the agricultural market and more.

*Industry Data 2020

RANGER CONFIDENCE

- FOR THE PRICE OF A QUAD.

RANGER 500



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER 500 EFI




Colour: Sage Green



32 HP



ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 25.4CM OF TRAVEL




SEAT BELT INTERLOCK



SPEED KEY READY



680KG TOWING CAPACITY



DUMP BOX CAPACITY - 227KG

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	500cc / 4-Stroke Single Cylinder EFI
Drive System	On-Demand True AWD/2WD/ VersaTrac Turf Mode
Horsepower	32 HP

SUSPENSION

Front Suspension	MacPherson Strut 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; Carlisle 489
Rear Tyres	25 x 10-12; Carlisle 489
Wheels	Stamped Steel

DIMENSIONS

Dump Box Capacity Dimensions (L x W x H)	81 cm x 107 cm x 29 cm
Fuel Capacity	34.1 L
Ground Clearance	25.4 cm
Vehicle Size (L x W x H)	279 x 147 x 185 cm
Payload Capacity	454 kg
Passenger Capacity	2
Estimated Dry Weight	483 kg
Wheelbase	185.4 cm

ADDED FEATURES

Instrumentation	Single Analog Dial with 2" LCD Rider Information Center, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Volt Meter, Service Indicator and Codes, Seatbelt Reminder Light, DC Outlet
Lighting	50W Headlight, LED Tail
Cargo System	Lock & Ride

RANGER 570 HD EPS ADC

- 1** POLY SPORT ROOF #2883236
- 2** POLY HALF WINDSCREEN #2883320
- 3** PRO 4500 LB WINCH #2882238

1

2

3

**BIG PERFORMANCE.
SMALL FOOTPRINT.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER 570 HD EPS ADC



AGRICULTURE/UTILITY


Colour: Bronze Mist



44 HP




ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 25.4CM OF TRAVEL



DUMP BOX CAPACITY - 227KG



SEAT BELT INTERLOCK



SPEED KEY READY



ELECTRONIC POWER STEERING



ENGINE BRAKING SYSTEM & ACTIVE DESCENT CONTROL (ADC)



HEAVY DUTY FEATURES

ENGINE & DRIVETRAIN

Displacement / Engine Type	567cc / 4-Stroke Single Cylinder DOHC EFI
Drive System	On-Demand True AWD/2WD/ VersaTrac Turf Mode
Horsepower	44 HP

SUSPENSION

Front Suspension	MacPherson Strut with 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; 489
Rear Tyres	25 x 10-12; 489
Wheels	Aluminium Black Xcelerator

DIMENSIONS

Box Capacity	227 kg
Towing Capacity	680 kg
Fuel Capacity	34.1 L
Ground Clearance	25.4 cm
Vehicle Size (L x W x H)	279 x 147 x 185 cm
Payload Capacity	454 kg
Passenger Capacity	2
Estimated Dry Weight	499 kg
Wheelbase	185.4 cm

ADDED FEATURES

Heavy Duty	Upgraded Rear Driveshaft, Grease Nipples, HD Sway Bar, Sealed Suspensions Bushings, Sealed Ball Joints, Driveshaft Spline Seals
Steering	Electronic Power Steering
ADC	Active Descent Control

RANGER SP 570 EPS PREMIUM

- 1** POLY SPORT ROOF #2883236
- 2** HARD COAT POLY WINDSHIELD #2879489
- 3** POLARIS HD 3,500 LB. WINCH #2881669



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER SP 570 EPS PREMIUM




Colour: Polaris Blue



44 HP



ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 25.4CM OF TRAVEL



SEAT BELT INTERLOCK



680KG TOWING CAPACITY



ELECTRONIC POWER STEERING



DUMP BOX CAPACITY - 227KG

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	567 cc / 4-Stroke Single Cylinder DOHC EFI
Drive System	On-Demand True AWD/2WD/ VersaTrac Turf Mode
Horsepower	44 HP

SUSPENSION

Front Suspension	MacPherson Strut 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; Carlisle 489
Rear Tyres	25 x 10-12; Carlisle 489
Wheels	Black Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	84.58 x 123.7 x 31.24 cm
Towing Capacity	680 kg
Fuel Capacity	35.9 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	274.3 x 142.2 x 188 cm
Payload Capacity	420 kg
Passenger Capacity	2
Estimated Dry Weight	564.7 kg
Wheelbase	185.4 cm

ADDED FEATURES

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Lighting	Halogen Headlamps, 55W low beam, 60W high beam, LED Taillamps
Cargo System	Lock & Ride
Protection	Full Under-Body Skid Plate, Full Coverage Front Bumper

RANGER EV (ELECTRIC VEHICLE)

1 POLY SPORT ROOF #2883236

2 GLASS WINDSCREEN #2881783

3 WINDSCREEN WIPER KIT #2879968



ELECTRIC ADVANTAGE.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER EV




Colour: Avalanche Grey



30 HP



ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 22.9cm OF TRAVEL




ZERO EMISSIONS = WORK INDOORS



PLUG IN ELECTRIC



680KG TOWING CAPACITY



DUMP BOX CAPACITY - 227KG

Commercial/Utility

ENGINE & DRIVETRAIN

Motor Type	Single 48-Volt, High-Efficiency, AC-Induction Motor EFI
Drive System	On-Demand True AWD/2WD/Turf Mode
Horsepower	30 HP

SUSPENSION

Front Suspension	MacPherson Strut with 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS with 22.9 cm Travel
Front Tyres	25 x 9-12; Carlisle
Rear Tyres	25 x 9-12; Carlisle
Wheels	Stamped Steel

DIMENSIONS

Dump Box Dimensions (L x W x H)	81 cm x 107 cm x 29 cm
Towing Capacity	680 kg
Battery	Traditional Lead-Acid
Ground Clearance	25.4 cm
Vehicle Size (L x W x H)	279 x 147 x 185 cm
Payload Capacity	454 kg
Passenger Capacity	2
Wheelbase	182.9 cm
Estimated Dry Weight	799.2 kg

ADDED FEATURES

Instrumentation	Digital Hour Meter, Mode Indicator, DC Outlet, Hi-Temp Light, Change Cycle Indicator, Battery Life Indicator
Lighting	50W Headlight, LED Tail
Cargo System	Lock & Ride

**ENGINEERED
- FOR WORK**

RANGER 1000 EPS



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER 1000 EPS




Colour: Sage Green



61 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE




1,134KG TOWING CAPACITY



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



DUMP BOX CAPACITY- 454KG



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT CALIPERS

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke SOHC Twin Cylinder EFI
Drive System	High Performance On-Demand True AWD/2WD VersaTrac Turf Mode
Horsepower	61 HP

SUSPENSION

Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 10-12; Carlisle 489
Rear Tyres	25 x 11-12; Carlisle 489
Wheels	Stamped Steel

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Estimated Dry Weight	673.6 kg
Towing Capacity	1,134 kg
Fuel Capacity	43 L
Ground Clearance	30.5 cm
Vehicle Size (L x W x H)	305 x 158 x 193 cm
Payload Capacity	680.4 kg
Passenger Capacity	3
Wheelbase	206 cm

ADDED FEATURES

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder
Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps
Other Standard Features	DC Outlet

RANGER 1000 EPS PREMIUM

1 POLY SPORT ROOF #2882911

2 GLASS REAR PANEL #2879013

3 2,041KG PRO HD WINCH #2882711

4 HARD COAT POLY FULL WINDSHIELD,
CLEAR ITEM # 2883300



CONQUER - IN COMFORT.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER 1000 PREMIUM EPS

AGRICULTURE/UTILITY




Colour: Polaris Blue



61 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE




1,134KG TOWING CAPACITY



ELECTRONIC POWER STEERING



HEATER & DEFROST SYSTEM



DUMP BOX CAPACITY- 454KG

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder SOHC EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	61 HP

SUSPENSION

Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	26 x 9-12; PXT 2.0
Rear Tyres	26 x 11-12; PXT 2.0
Wheels	Aluminum Black Xcelerator 2.0

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Estimated Dry Weight	673.6 kg
Towing Capacity	1,134 kg
Fuel Capacity	43 L
Ground Clearance	31.8 cm
Vehicle Size (L x W x H)	305 x 158 x 193 cm
Payload Capacity	680.4 kg
Passenger Capacity	3
Wheelbase	206 cm

ADDED FEATURES

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps

RANGER XP 1000 HD EPS ADC



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

- 1** POLY SPORT ROOF #2882911
- 2** TIP OUT WINDSCREEN #2889031
- 3** FRONT HOOD STORAGE RACK #2882690
- 4** 33" SINGLE ROW LIGHT BAR - 6300 LUMENS #2882077
- 5** WINDSCREEN WIPER KIT #2883974
- 6** GLASS REAR PANEL #2879013
- 7** POLY DOORS CRANK WINDOW #2882561
- 8** 2,041KG PRO HD WINCH #2882711
- 9** ROCK SLIDERS WITH STEP #2882530
- 10** PRO ARMOR WHEEL & TIRE SET MATT BLACK 28R14

**MORE RUGGED.
MORE REFINED.
MORE RANGER.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER XP 1000 HD EPS ADC




Colour: Navy Blue



82 HP




HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY- 454KG



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT CALIPERS



ELECTRONIC POWER STEERING



ENGINE BRAKING SYSTEM & ACTIVE DESCENT CONTROL (ADC)



SEAT BELT INTERLOCK



HEAVY DUTY FEATURES

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	82 HP

SUSPENSION

Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	Black Aluminum with Machined Accents

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Box Capacity	454 kg
Towing Capacity	1,134 kg
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	305 x 158 x 196 cm
Payload Capacity	871 kg
Passenger Capacity	3
Wheelbase	206 cm

ADDED FEATURES

Other Standard Features	Premium Cut & Sew Seats, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), Standard In-Dash SAE Charge Port. 51 litres of in-cab storage including a flip up passenger seat, Handbrake
Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps

RANGER DIESEL HD EPS ADC

- 1** POLY SPORT ROOF #2882911
- 2** FIXED GLASS SCREEN #2889030
- 3** WINDSCREEN WIPER KIT #2883974
- 4** REAR SLIDING GLASS PANEL #2879015
- 5** FRONT HOOD STORAGE RACK #2882690
- 6** POLY CLEARVIEW DOORS #2882901



ONE FARM.
ONE FUEL.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER DIESEL HD EPS ADC




Colour: Sage Green



24.8 HP




ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 27.9CM OF TRAVEL



DUMP BOX CAPACITY - 435KG




1134KG TOWING CAPACITY



ELECTRONIC POWER STEERING



ENGINE BRAKING SYSTEM & ACTIVE DESCENT CONTROL (ADC)



DONALDSON AIR FILTER



HEAVY DUTY FEATURES

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	898cc / Kubota Diesel 3-Cylinder Diesel EFI
Drive System	On-Demand AWD/2WD/ VersaTrac Turf Mode
Horsepower	24.8 HP

SUSPENSION

Front Suspension	Dual A-Arm with 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-R12; Maxxis MU51
Rear Tyres	27 x 11-R12; Maxxis MU52
Wheels	Steel

DIMENSIONS

Box Capacity	435 kg
Towing Capacity	1,134 kg
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	296 x 152 x 193 cm
Payload Capacity	720 kg
Passenger Capacity	3
Wheelbase	206 cm
Estimated Dry Weight	766 kg

ADDED FEATURES

Heavy Duty Upgraded Rear Driveshaft, Grease Nipples, HD Sway Bar, Sealed Suspension Bushings, Sealed Ball Joints, Driveshaft Spline Seals

Other Standard Features Handbrake

RANGER XP 1000 EPS PREMIUM NORTHSTAR

- 1** POLY SPORT ROOF #2882911
- 2** GLASS REAR PANEL #2879013
- 3** FIXED GLASS SCREEN #2889030
- 4** LOCK & RIDE TIP DOWN HEADACHE RACK #2881531
- 5** LOCK & RIDE BED EXTENDER/DIVIDER #2882752
- 6** HIGH-MOUNTED FRONT BRUSHGUARD ITEM # 2889271
- 7**



THE UNDISPUTED KING OF
CLIMATE CONTROL.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER XP 1000 PREMIUM NORTHSTAR EPS




Colour: Matte Titanium




82 HP




HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134kg TOWING CAPACITY



DUMP BOX CAPACITY- 454KG



SEAT BELT INTERLOCK



FULL CAB AS STANDARD



ELECTRONIC POWER STEERING



POLARIS PRO HD 4,500 LB. WINCH



HEATER, A/C & DEFROST

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	82 HP

SUSPENSION

Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	35.6 cm Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Box Capacity	454 kg
Estimated Dry Weight	867 kg
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	305 x 165 x 198 cm
Payload Capacity	578.3 kg
Passenger Capacity	3
Wheelbase	206 cm

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Lighting	Dual LED Headlamps, 1250lm Low Beam, 2300lm High Beam, Dual LED Taillamps

RANGER XP KINETIC PREMIUM EPS
"UNLOCK THE POWER OF ELECTRIC"



- 1** SPORT ROOF - POLY #2882911
- 2** FULL GLASS WINDSHIELD - CLEAR #2889021
- 3** UPPER FRONT BRUSHGUARD #2882531
- 4** POLARIS PRO HD 6,000 LB. WINCH WITH RAPID ROPE RECOVERY #2882710
- 5** LOCK & RIDE TIP DOWN HEADACHE RACK

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER XP KINETIC PREMIUM EPS

AGRICULTURE/UTILITY




Colour: Icy White Pearl



110 HP
40 LB-FT TORQUE



LITHIUM ION BATTERY
14.9 KWH NOMINAL



VERSATRAC
TURF MODE



1,134kg TOWING
CAPACITY




HIGH PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



ELECTRONIC
POWER STEERING



3KW ON-BOARD
BATTERY
CHARGER



DUMP BOX
CAPACITY - 680KG

ENGINE & DRIVETRAIN

Motor	Interior Permanent Magnet AC Motor EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	110 HP 40 LB-FT TORQUE

SUSPENSION

Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	29 x 9-14; PRO ARMOR X-TERRAIN
Rear Tyres	29 x 11-14; PRO ARMOR X-TERRAIN
Wheels	14" Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel System/Battery	Single Lithium Ion, 14.9 kWh Nominal
Box Capacity	680 kg
Ground Clearance	35.5 cm
Vehicle Size (L x W x H)	305 x 158 x 198 cm
Payload Capacity	578.3 kg
Passenger Capacity	3
Wheelbase	206 cm

ADDED FEATURES

Instrumentation

Driver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: Power Use and Regen %, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage, Speedometer, Odometer, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock

RANGER XP KINETIC ULTIMATE EPS



- 1** POWER WINDOW DOORS - POLY #2884338 AND EXTERIOR DOOR ACCENT PANEL - PEARL WHITE #2882870-566
- 2** LOCK & RIDE REAR PANEL - GLASS #2879013
- 3** SPORT ROOF - POLY #2882911
- 4** FULL GLASS WINDSHIELD - CLEAR #2889021
- 5** SIDE VIEW MIRRORS #2889241
- 6** UPPER FRONT BRUSHGUARD #2882531
- 7** POLARIS PRO HD 6,000 LB. WINCH WITH RAPID ROPE RECOVERY #2882710
- 8** RHINO RACK EYELET TIE DOWNS

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER XP KINETIC ULTIMATE EPS

AGRICULTURE/UTILITY




Colour: Icy White Pearl



110 HP
40 LB-FT TORQUE



LITHIUM ION BATTERY
29.8 KWH NOMINAL



VERSATRAC
TURF MODE



1,134kg TOWING
CAPACITY




HIGH PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



ELECTRONIC
POWER STEERING



6KW ON-BOARD
BATTERY
CHARGER



DUMP BOX
CAPACITY - 680KG



RIDE COMMAND

ENGINE & DRIVETRAIN

Motor	Interior Permanent Magnet AC Motor EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	110 HP 40 LB-FT TORQUE

SUSPENSION

Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	29 x 9-14; PRO ARMOR X-TERRAIN
Rear Tyres	29 x 11-14; PRO ARMOR X-TERRAIN
Wheels	14" Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel System/Battery	Dual Lithium Ion, 29.8 kWh Nominal
Box Capacity	680 kg
Ground Clearance	35.5 cm
Vehicle Size (L x W x H)	305 x 158 x 198 cm
Parking Brake	Park In-Transmission
Passenger Capacity	3
Wheelbase	206 cm

ADDED FEATURES

Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), DC Outlet, Dual USB Port, Cargo Box Located 12V SAE Port with In-Dash On/Off Switch, In Dash Speakers, Rear Camera, *Connectivity with Ride Command + App

*Not available in International locations

Other Standard Features

RANGER CREW SP 570 EPS

1 POLY SPORT ROOF #2882911

1



TOW MORE,
CARRY MORE,
DO MORE,
SEAT 4.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER CREW SP 570 EPS




Colour: Polaris Blue



44 HP




ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 25.4CM OF TRAVEL



DUMP BOX CAPACITY - 227KG



SEAT BELT INTERLOCK



680KG TOWING CAPACITY



ELECTRONIC POWER STEERING



SPEED KEY READY



SEATS 4

AGRICULTURE/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	567cc / 4-Stroke Single Cylinder DOHC EFI
Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	44 HP

SUSPENSION

Front Suspension	MacPherson Strut 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; Carlisle 489
Rear Tyres	25 x 10-12; Carlisle 489
Wheels	Black Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	84.6 x 123.7 x 31.24 cm
Box Capacity	227 kg
Fuel Capacity	35.9 L
Ground Clearance	26.7 cm
Vehicle Size (L x W x H)	366 x 142 x 188 cm
Payload Capacity	499 kg
Wheelbase	266.7 cm
Estimated Dry Weight	681.75 kg

ADDED FEATURES

Instrumentation	Power Steer 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet, Aluminum Wheels, Premium Paint
Lighting	Halogen Headlamps, 55W low beam, 60W high beam, LED Taillamps

RANGER CREW XP 1000 PREMIUM EPS



**THE PERFECT
COMBINATION OF
VALUE AND PERFORMANCE.
SEAT 6.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER CREW XP 1000 PREMIUM EPS



AGRICULTURE/UTILITY


Colour: Sunset Red Metallic



82 HP




HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 27.9CM OF TRAVEL



DUMP BOX CAPACITY - 454KG



1,134KG TOWING CAPACITY



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



SEATS 6



ELECTRONIC FUEL INJECTION

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	82 HP

SUSPENSION

Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	35.6 cm Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Box Capacity	454 kg
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	386 x 158 x 196 cm
Payload Capacity	767 kg
Wheelbase	287 cm
Estimated Dry Weight	859 kg

ADDED FEATURES

Other Standard Features	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps

RANGER CREW XP 1000 NORTHSTAR PREMIUM



**THE UNDISPUTED
KING OF CLIMATE CONTROL.
SEAT 6.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RANGER CREW XP 1000 NORTHSTAR PREMIUM



AGRICULTURE/UTILITY


Colour: Matte Ghost White Metallic



82 HP




HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



POLARIS PRO HD 4,500 LB. WINCH



DUMP BOX CAPACITY - 454KG



1,134KG TOWING CAPACITY



HEATER, A/C & DEFROST



ELECTRONIC POWER STEERING



SEATS 6



FULL CAB AS STANDARD

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	82 HP

SUSPENSION

Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	35.6 cm Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Box Capacity	454 kg
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	386 x 165 x 198 cm
Payload Capacity	558 kg
Estimated Dry Weight	1,063 kg
Wheelbase	287 cm

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps





POLARIS AGRICULTURE/UTILITY DARE TO COMPARE



RANGER 500

COMPARE THE FACTS	POLARIS RANGER 500	HONDA PIONEER 520	KAWASAKI MULE SX	KUBOTA RTV520	JOHN DEERE XUV560E
HORSEPOWER (HP)	32 ✓	*	12.3	15.8	16
TOWING CAPACITY (KG)	680 ✓	453	500	530	680 ✓
REAR TRAY CAPACITY (KG)	227 ✓	203	181	200	227 ✓
DUMP BOX STANDARD	Yes ✓	No	Yes ✓	Yes ✓	Yes ✓
TURF MODE (UNLOCKING REAR DIFF)	Yes ✓	No	Yes ✓	Yes ✓	Yes ✓
SUSPENSION TRAVEL FRONT/REAR (MM)	229 / 254 ✓	147 / 150	78 / 79	*	203 / 203
FUEL CAPACITY (LITRES)	34 ✓	15.5	16	19.2	18.5
SPEED KEY READY	Yes ✓	No	*	*	*



RANGER 570 HD EPS ADC

COMPARE THE FACTS	POLARIS RANGER 570 HD EPS ADC	HONDA PIONEER 520	KUBOTA RTV500G-HD	JOHN DEERE XUV590M
HORSEPOWER (HP)	44 ✓	*	15.8	32
TOWING CAPACITY (KG)	680 ✓	453	500	680 ✓
REAR TRAY CAPACITY (KG)	227 ✓	203	200	227 ✓
DUMP BOX STANDARD	Yes ✓	No	Yes ✓	Yes ✓
TURF MODE (UNLOCKING REAR DIFF)	Yes ✓	No	Yes ✓	Yes ✓
SUSPENSION TRAVEL FRONT/REAR (MM)	229 / 254 ✓	147 / 150	*	203 / 203
FUEL CAPACITY (LITRES)	34 ✓	15.5	20	28
SPEED KEY READY	Yes ✓	No	*	*
ELECTRONIC POWER STEERING	Yes ✓	No	No	Yes ✓
ENGINE BRAKING	Yes ✓	*	*	No

*Honda Pioneer are trademarks of Honda Motor Company Ltd. Yamaha Viking is a trademark of Yamaha Motor Company. Kubota RTV is a trademark of Kubota Corporation. Can-Am Defender is a trademark of Bombardier Recreational Products Inc. John Deere XUV is a trademark of Deere & Company. All comparative data sourced from manufacturer websites and brochure downloads from those sites 3.12.20. *Information not available.



POLARIS AGRICULTURE/UTILITY DARE TO COMPARE



RANGER 1000 EPS

COMPARE THE FACTS	POLARIS RANGER 1000 EPS	HONDA PIONEER 700	CAN-AM DEFENDER HD7 DPS	YAMAHA VIKING	JOHN DEERE XUV835M
HORSEPOWER (HP)	61 ✓	*	52	*	54
TOWING CAPACITY (KG)	1,134 ✓	680	1,134 ✓	680	900
REAR TRAY CAPACITY (KG)	454 ✓	454 ✓	454 ✓	272	454 ✓
TURF MODE (UNLOCKING REAR DIFF)	Yes ✓	Yes ✓	Yes ✓	Yes ✓	Yes ✓
SUSPENSION TRAVEL FRONT/REAR (MM)	254 / 254 ✓	200 / 230	254 / 254 ✓	205 / 205	201 / 231
GROUND CLEARANCE (MM)	305 ✓	270mm	280	300	284
ELECTRONIC POWER STEERING	Yes ✓	Yes ✓	Yes ✓	Yes ✓	Yes ✓



RANGER XP 1000 HD EPS ADC

COMPARE THE FACTS	POLARIS RANGER XP 1000 HD EPS ADC	HONDA PIONEER 1000-3	CAN-AM DEFENDER XT HD10	YAMAHA VIKING	JOHN DEERE XUV835M
HORSEPOWER (HP)	82 ✓	*	82 ✓	*	54
TOWING CAPACITY (KG)	1,134 ✓	907	1,134 ✓	680	900
REAR TRAY CAPACITY (KG)	454 ✓	454 ✓	454 ✓	272	454 ✓
SUSPENSION TRAVEL FRONT/REAR (MM)	279 / 279 ✓	268 / 254	279 / 279 ✓	205 / 205	201 / 231
GROUND CLEARANCE (MM)	330 ✓	326	330 ✓	300	284
FUEL CAPACITY (LITRES)	43.5 ✓	30	40	36.7	42.8
ELECTRONIC POWER STEERING	Yes ✓	Yes ✓	Yes ✓	Yes ✓	Yes ✓



RANGER DIESEL HD EPS ADC

COMPARE THE FACTS	POLARIS RANGER DIESEL HD EPS ADC	KAWASAKI MULE PRO-DX	KUBOTA RTV-X1120DW	JOHN DEERE XUV865M
TOP SPEED (KM/H)	65 ✓	*	46.6	51
HORSEPOWER (HP)	24.8 ✓	24	24.8 ✓	22.8
TOWING CAPACITY (KG)	1,134 ✓	907	590	907
TURF MODE (UNLOCKING REAR DIFF)	Yes ✓	Yes ✓	Yes ✓	Yes
SUSPENSION TRAVEL FRONT/REAR (MM)	279 / 279 ✓	222 / 220	205 / 205	201 / 231 ✓
GROUND CLEARANCE (MM)	330 ✓	265	263	284
FUEL CAPACITY (LITRES)	43.5 ✓	30	30	42.8
VEHICLE DRY WEIGHT (KG)	766 ✓	805	935	884
ELECTRONIC POWER STEERING	Yes ✓	Yes ✓	Yes ✓	Yes
ENGINE BRAKING	Yes ✓	Yes ✓	Yes ✓	Yes ✓
ALTERNATOR OUTPUT (AMPS)	140 ✓	55	*	* ✓

*Honda Pioneer is a trademark of Honda Motor Company Ltd. Yamaha Viking is a trademark of Yamaha Motor Company. Kubota RTV is a trademark of Kubota Corporation. John Deere XUV is a trademark of Deere & Company. Can-Am Defender is a trademark of Bombardier Recreational Products Inc. Kawasaki Mule is a trademark of Kawasaki Heavy Industries Inc. All comparative data sourced from manufacturer websites and brochure downloads from those sites 3.12.20. *Information not available.



POLARIS AGRICULTURE/UTILITY DARE TO COMPARE



RANGER CREW SP 570 EPS

COMPARE THE FACTS	POLARIS RANGER CREW SP 570 EPS	HONDA PIONEER 700-4	JOHN DEERE XUV590M S4
PASSENGER CAPACITY	4 ✓	4 ✓	4 ✓
HORSEPOWER (HP)	44 ✓	*	32
TOWING CAPACITY (KG)	680 ✓	680 ✓	680 ✓
REAR TRAY CAPACITY (KG)	227 ✓	454 (when used as 2 seater)	227 ✓
TURF MODE (UNLOCKING REAR DIFF)	Yes ✓	Yes ✓	Yes ✓
SUSPENSION TRAVEL FRONT/REAR (MM)	229 / 254 ✓	200 / 230	203 / 203
FUEL CAPACITY (LITRES)	34.1 ✓	30	28
SPEED KEY READY	Yes ✓	*	*
DIMENSIONS L X W X H (CM)	361 x 152 x 185	291 x 152.5 x 198.5	365.8 x 143.5 x 188 ✓



RANGER CREW 1000 EPS

COMPARE THE FACTS	POLARIS RANGER CREW 1000 EPS	HONDA PIONEER 1000-5	KAWASAKI MULE PRO-FXT	JOHN DEERE XUV825M S4	CAN-AM DEFENDER MAX XT
PASSENGER CAPACITY	6 ✓	5	6 ✓	4	6 ✓
HORSEPOWER (HP)	82 ✓	*	47.3	52	82 ✓
TOWING CAPACITY (KG)	1,134 ✓	907	907	680	1,134 ✓
REAR TRAY CAPACITY (KG)	454 ✓	454 (when used as 3 seater)	453 kg (3 person) 158 kg (6 person)	454 ✓	454 ✓
TURF MODE (UNLOCKING REAR DIFF)	Yes ✓	Yes ✓	Yes ✓	Yes ✓	Yes ✓
SUSPENSION TRAVEL FRONT/REAR (MM)	279 / 279 ✓	268 / 254	222 / 220	203 / 229	279 / 279 ✓
FUEL CAPACITY (LITRES)	43.5 ✓	30	30	27.6	40
DIMENSIONS L X W X H (CM)	386 x 158 x 196	296.1 x 159.9 x 194	338.5 x 162.5 x 202	394x 157.1 x 189	402x 162.5 x 202 ✓

*Honda Pioneer is a trademark of Honda Motor Company Ltd. John Deere XUV is a trademark of Deere & Company. Can-Am Defender is a trademark of Bombardier Recreational Products Inc. Kawasaki Mule is a trademark of Kawasaki Heavy Industries Inc. All comparative data sourced from manufacturer websites and brochure downloads from those sites 8.12.20. *Information not available.

COMMERCIAL/UTILITY



*MODEL SHOWN WITH OPTIONAL ACCESSORIES





CHOOSE YOUR COMMERCIAL/ UTILITY MODELS

PRO XD DIESEL AWD EPS



PRO XD DIESEL CREW
AWD EPS



YOUTH AGRICULTURE/UTILITY COMMERCIAL/UTILITY WORK AND PLAY SPORT/RECREATIONAL

POLARIS COMMERCIAL/UTILITY

Through 60 plus years of innovation, Polaris has built the most durable and versatile family of commercial utility and passenger vehicles. With RANGER®, GEM®, Taylor- Dunn®, military-inspired utility vehicles, and now Pro XD™, Polaris has the largest offering of work vehicle solutions designed for moving both people and goods.

PRO XD DIESEL AWD EPS



- 1** POLY SPORT ROOF #2882911
- 2** FIXED GLASS SCREEN #2889030
- 3** WINDSHIELD WIPER KIT #2883974
- 4** FLASHING ORANGE WORK BEACON #AUST393

**DURABILITY,
SERVICEABILITY AND
SAFETY FEATURES.**

*Model shown with optional extra accessories




PRO XD DIESEL AWD EPS



Colour: Grey



24.5 HP



AWD ULTRA TURF



1,134KG TOWING CAPACITY




DONALDSON AIR FILTER



DIESEL



DUMP BOX CAPACITY- 567KG



KUBOTA DIESEL ENGINE



SPEED LIMITER



SEATS 2

COMMERCIAL/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	898cc / 3-Cylinder Kubota® Diesel EFI
Drive System Type	2WD (Open and Locked Differential)
Horsepower	24.5 HP

SUSPENSION

Front Suspension	22.9 cm
Rear Suspension	22.9 cm
Front Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)
Rear Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)
Wheels	12 x 6 HD Steel - Gloss Black

DIMENSIONS

Bed Box Dimensions (L x W x H)	110.5 x 137 x 29 cm
Fuel Capacity	43.5 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	320 x 159 x 191 cm
Towing Capacity	1,134 kg
Dump Box Capacity	567 kg
Dry Weight	723 kg
Seating Capacity	2

ADDED FEATURES

Instrumentation	All Digital Gauge, Speedometer, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Diff lock indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm
Other Standard Features	Horn, Backup Alarm
Lighting	55W low/ 60W high, LED Tail
Seat Covering	Kevlar®-Backed Vinyl (Grey)

PRO XD DIESEL CREW AWD EPS



- 1** POLY SPORT CREW ROOF #2883274
- 2** FIXED GLASS SCREEN #2889030
- 3** FLASHING ORANGE WORK BEACON #AUST393
- 4** POLY DOORS CRANK WINDOW #2884275
- 5** POLY REAR DOORS CRANK WINDOW #2884276
- 6** SLIDING GLASS REAR PANEL #2879015

**DURABILITY,
SERVICEABILITY AND
SAFETY FEATURES.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES




PRO XD DIESEL CREW AWD EPS



Colour: Grey



24.5 HP



AWD ULTRA TURF



1,134KG TOWING CAPACITY




DONALDSON AIR FILTER



DIESEL



DUMP BOX CAPACITY- 567KG



KUBOTA DIESEL ENGINE



SEATS 4



ELECTRONIC POWER STEERING



SPEED LIMITER

COMMERCIAL/UTILITY

ENGINE & DRIVETRAIN

Displacement / Engine Type	898cc / 3-Cylinder Kubota® Diesel EFI
Drive System Type	On-Demand 4x4
Horsepower	24.5 HP

SUSPENSION

Front Suspension	22.9 cm
Rear Suspension	22.9 cm
Front Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)
Rear Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)
Wheels	12 x 6 HD Steel - Gloss Black

DIMENSIONS

Bed Box Dimensions (L x W x H)	110.5 x 137 x 29 cm
Fuel Capacity	43.5 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	399 x 159 x 191 cm
Towing Capacity	1,134 kg
Box Capacity	567 kg
Estimated Dry Weight	864 kg
Seating Capacity	4

ADDED FEATURES

Instrumentation

All Digital Gauges, Speedometer, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm, Additional seat belt options available for 5 or 6 seats

Lighting

55W low/ 60W high, LED Tail

WORK AND PLAY



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



CHOOSE YOUR WORK AND PLAY MODELS

GENERAL 1000 EPS PREMIUM - 60"



GENERAL 1000 EPS DELUXE - 60"



GENERAL XP 1000 EPS DELUXE - 64"



**GENERAL XP 4 1000 EPS DELUXE - 64"
4 SEATS**



WORK AND PLAY

Only Polaris delivers the ultimate combination of power, suspension, agility, comfort and customisation. Fueled by relentless innovation, Polaris recreational models dominate every type of off-road terrain.

GENERAL 1000 EPS PREMIUM - 60"



CROSSOVER
BETWEEN
WORK AND PLAY.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



GENERAL 1000 PREMIUM EPS - 60"




Colour: Titanium Mettalic




100 HP



ON DEMAND
TRUE ALL-WHEEL-
DRIVE (AWD)



VERSATRAC
TURF MODE




DUMP BOX
CAPACITY - 272KG



ELECTRONIC
POWER
STEERING



POLARIS HD
4500 LB WINCH



ZF SACHS
TWIN TUBE



680KG TOWING
CAPACITY

WORK AND PLAY

ENGINE & DRIVETRAIN

Displacement / Engine Type 999cc / ProStar 1000 4-Stroke DOHC
Twin Cylinder EFI

Drive System Type On-Demand True AWD/2WD/
VersaTrac Turf Mode

Horsepower 100 HP

SUSPENSION

Front Suspension Dual A-Arm with Stabilizer Bar 31.1 cm Travel

Rear Suspension Dual Arm IRS with
Stabilizer Bar 33.5 cm Travel

Front Tyres 27 x 9-14; Maxxis Coronado

Rear Tyres 27 x 11-14; Maxxis Coronado

Wheels 35.6 cm Aluminum

DIMENSIONS

Dump Box Dimensions
(L x W x H) 69.8 x 109 x 29.5 cm

Towing Capacity 680 kg

Fuel Capacity 35.9 L

Ground Clearance 30.5 cm

Vehicle Size (L x W x H) 295.6 x 158.7 x 187 cm

Payload Capacity 499 kg

Box Capacity 272 kg Rear Dumping Box

Wheelbase 206 cm

Estimated Dry Weight 676 kg

ADDED FEATURES

Instrumentation Dual-sweep Analog Dials w/ 4" LCD Rider
Information Center: User Selectable
Blue/Red Backlighting & Brightness,
Programmable Service Intervals,
Speedometer, Tachometer, Odometer,
Tripmeter, Clock, Hour Meter, Gear
Indicator, Fuel Gauge, Coolant Temperature,
Voltmeter, Service Indicator and Codes, Seat
Belt Reminder Light, DC Outlet

Lighting LED Headlight w/ Accent & LED Taillights

GENERAL 1000 EPS DELUXE - 60"



**BUILT FOR WORK
AND PLAY.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



GENERAL 1000 DELUXE EPS - 60"




Colour: Steel Blue



100 HP



ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



DUMP BOX CAPACITY - 272KG



680KG TOWING CAPACITY



ELECTRONIC POWER STEERING



POLARIS HD 4500 LB WINCH



ROCKFORD FOSGATE AUDIO



FOX PODIUM X 2.0 QS3 SHOCKS



ELECTRONIC FUEL INJECTION

WORK AND PLAY

ENGINE & DRIVETRAIN

Displacement / Engine Type	999 cc / ProStar 1000 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	On-Demand True AWD/2WD/ VersaTrac Turf Mode
Horsepower	100 HP

SUSPENSION

Front Suspension	Dual A-Arm with Stabilizer Bar, 31.1 cm Travel
Rear Suspension	Dual Arm IRS with Stabilizer Bar, 33.5 cm Travel
Front Tyres	27 x 9-14; Maxxis Coronado
Rear Tyres	27 x 11-14; Maxxis Coronado
Wheels	35.6 cm Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm
Towing Capacity	680 kg
Fuel Capacity	35.9 L
Ground Clearance	30.5 cm
Vehicle Size (L x W x H)	300 x 158.7 x 190.5 cm
Payload Capacity	272 kg Rear Dumping Box
Box Capacity	2
Wheelbase	206 cm
Estimated Dry Weight	705 kg

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet
Lighting	LED Headlight w/ Accent & LED Taillights

GENERAL XP 1000 EPS DELUXE - 64"



THE ULTIMATE
CROSSOVER.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



GENERAL XP 1000 DELUXE EPS - 64"




Colour: Matte Ghost White Metallic




100 HP



ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



DUMP BOX CAPACITY - 272KG



680KG TOWING CAPACITY



ELECTRONIC POWER STEERING



POLARIS HD 4500 LB WINCH



ROCKFORD FOSGATE AUDIO



WALKER EVANS VELOCITY SERIES PIGGYBACK SHOCKS



ELECTRONIC FUEL INJECTION

WORK AND PLAY

ENGINE & DRIVETRAIN

Displacement / Engine Type 999cc / ProStar 1000 4-Stroke DOHC Twin Cylinder EFI

Drive System Type On-Demand True AWD/2WD/ VersaTrac Turf Mode

Horsepower 100 HP

SUSPENSION

Front Suspension Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel

Rear Suspension Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 cm Travel

Front Tyres 30 x 10-15; Pro Armor Crawler XG

Rear Tyres 30 x 10-15; Pro Armor Crawler XG

Wheels Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H) 69.8 x 109 x 29.5 cm

Towing Capacity 680 kg

Fuel Capacity 35.9 L

Ground Clearance 34.3 cm

Vehicle Size (L x W x H) 300 x 162.5 x 190.5 cm

Payload Capacity 499 kg

Box Capacity 272 kg Rear Dumping Box

Wheelbase 211 cm

Estimated Dry Weight 767 kg

ADDED FEATURES

Instrumentation Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet

Lighting LED Headlight w/ Accent & LED Taillights

GENERAL XP 4 1000 EPS DELUXE - 64"



**WHEN YOUR GROUP
DEMANDS THE VERY BEST.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



GENERAL XP 4 1000 DELUXE EPS - 64"

W O R K A N D P L A Y




Colour: Black Crystal



100 HP



ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



DUMP BOX CAPACITY - 272KG



680KG TOWING CAPACITY



ELECTRONIC POWER STEERING



POLARIS HD 4500 LB WINCH



ROCKFORD FOSGATE AUDIO



WALKER EVANS VELOCITY SERIES PIGGYBACK SHOCKS



SEATS 4

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc/ProStar 1000 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode
Horsepower	100 HP

SUSPENSION

Front Suspension	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel
Rear Suspension	Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 cm Travel
Front Tyres	30 x 10-15; Pro Armor Crawler XGF
Rear Tyres	30 x 10-15; Pro Armor Crawler XG
Wheels	Aluminum

DIMENSIONS

Dump Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm
Fuel Capacity	35.9 L
Ground Clearance	34.3 cm
Vehicle Size (L x W x H)	381.5 x 195.59 x 162.56 cm
Payload Capacity	580 kg
Dump Box Capacity	272 kg Rear Dumping Box
Wheelbase	292 cm
Estimated Dry Weight	911 kg

ADDED FEATURES

Seat Type

Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet

GENERAL XP 1000 COMPETITIVE ADVANTAGES VS. YAMAHA WOLVERINE RMAX2 1000 XT-R

PERFORMANCE

True On-Demand AWD

- Fast-engaging, automatic, and can be used at all speeds, providing industry best handling, cornering and capability in technical terrain

vs. Yamaha driver-selectable AWD, Speed limited in 4WD Locked

True 34.29cm Ground Clearance

- True 34.3cm + full vehicle ground clearance to easily clear rough trails or obstacles

vs. Yamaha max clearance only reached in certain riding conditions

- High-clearance a-arms protect suspension & reduce trail damage

vs. Yamaha straight, low-hanging arms

Steel Bumper

- Low-profile steel front bumper for more protection

vs. Yamaha factory bumper

Vehicle Width

- Wheels are the widest point of the vehicle, ideal for tight terrain and protection from trail damage

COMFORT

Best Ergonomics & Doors

- Spacious door open for easy in-and-out of vehicle
- Premium half-doors for greater rider comfort and protection

vs. Yamaha narrower openings and smaller, lower doors. No exterior handles make it difficult to open

Top Tier Walker Evans® Velocity Shocks

- Internal bypass technology, and 35.5cm of travel offers the feeling of endless travel
- Three ride zones: small bump plushness, medium bump comfort and never bottom-out control

vs. Yamaha Fox® 2.0QS3 shocks, only single zone

Beefy Tyres

- 8-ply 30" Pro Armor XG Crawler Tyres on 15" wheels offer smoother ride, max traction, and the most strength
- Asymmetrical and directional by design for best ride and handling, agile cornering and grip during acceleration or a crawl

vs. Symmetrical Yamaha 30" on 14" wheels without rear sway bar

VERSATILITY

Storage & Dump Box

- 272kg capacity with dumping cargo box
- Multiple tie-down and Lock & Ride holes to secure gear

vs. Yamaha limited mounting points

Vehicle Profile

- Lower vehicle height for more options for garage storage or enclosed trailering

vs. Yamaha higher rear profile

Polaris Engineered Accessories

- 20% more options for greater customization

vs. Yamaha accessory collection

TECH & AUDIO

Ride Command

- Dash-mounted 7" Glove Touch GPS navigation to stay connected to your group and track your rides
- Factory-installed Rockford Fosgate 400 W Stage 4 system with 4 coaxial surround sound speakers and 10" underdash subwoofer

- Front and rear camera

- Audio integration

vs. Yamaha Adventure Pro no audio integration and less functionality

Rockford Fosgate® Audio

- Factory-installed off-road grade, custom tuned audio from the leader in powersports audio. Standard Stage 1 system features 2 coaxial front speakers and a PMX headunit

vs. Yamaha factory audio as accessory add-on

STYLE

Striking Lighting

- Modern LED lights
- Interior blue accents

Clean Color & Graphics

- Premium paint colour and colour-matched parts



GENERAL XP COMPETITIVE COMPARISON



VS



GENERAL XP 1000 DELUXE	FEATURE	YAMAHA WOLVERINE® RMAX2™ 1000 XT-R
999cc Twin-Cylinder Engine DOHC	Engine	999cc Twin-Cylinder Engine DOHC
Direct drive-by-wire electronic throttle pedal ✓		Cable actuated throttle pedal
Fast-engaging true on-demand Turf/2WD/AWD can be used at all speeds, providing the best handling, cornering and capability in technical terrain. Requires minimal tyre slip to engage differential lock. ✓	4WD	On-Command® driver-selectable 2WD/4WD/4WD with differential lock Full stop required to change into 4WD locked, and when engaged the vehicle speed is limited and steering effort increases, making it only effective for slow speed driving. Otherwise system is a limited slip system resulting in 3WD.
Walker Evans® Velocity shocks with internal bypass technology offer the feeling of endless travel through three ride zones - small bump plushness, medium bump comfort and never bottom-out control ✓	Shocks	Fox® QS3® Shocks (RMAX2/XT-R) with 1 ride zone, and no rear sway bar
Front & rear: 35.5cm	Shock Travel	Front: 36cm / Rear: 42.9cm
True 34.3cm + full vehicle ground clearance with high clearance a-arms for maximum under body protection while easily clearing obstacles. ✓	Ground Clearance	35cm maximum; maximum would only be reached and usable under certain riding conditions
All-wheel disc brakes, twin-piston calipers	Brakes	All-wheel disc brakes, twin-piston calipers
Asymmetrical 30" Pro Armor XG Crawlers on 15" wheels. Provides best ride & handling on the trail. Front tyres grab the corner for more precise handling and clean out well for traction in all conditions. Rear tyres have more lugs for traction and acceleration. 8-ply Kevlar tyre specifically designed for this vehicle. ✓	Tyres	Symmetrical 30" tyres on 14" wheels
272kg Dumping Cargo Box with Lock & Ride mounting holes, plus interior box tie-downs ✓	Cargo Capacity	272kg capacity with dumping cargo box with limited mounting points
Factory-installed Rockford Fosgate® Stage 1 Audio System. Ride Command + Stage 4 audio upgrade available. Audio integrated into Ride Command. ✓	Tech & Audio	Adventure Pro, no integrated audio; requires use of separate interface to control audio & GPS

*Yamaha Wolverine is a trademarks of Yamaha Motor Company. All comparative data sourced from manufacturer websites, physical unit assessment and brochure downloads from those sites prior to 9.12.20.

SPORT/RECREATIONAL



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



CHOOSE YOUR SPORT/RECREATIONAL MODELS

RZR TRAIL 900 EPS PREMIUM - 50"



RZR TRAIL S 1000 PREMIUM - 60"



RZR XP 1000 SPORT EPS - 64"



RZR XP 4 1000 SPORT EPS - 64"
4 SEATS



RZR PRO XP SPORT EPS - 64"



RZR PRO XP PREMIUM EPS - 64"



RZR PRO XP ULTIMATE EPS - 64"



RZR PRO XP 4 SPORT EPS - 64"
4 SEATS



RZR PRO XP 4 ULTIMATE - 64"
4 SEATS



RZR TURBO R ULTIMATE EPS - 74"



RZR TURBO R 4 ULTIMATE EPS - 74"
4 SEATS



RZR PRO R ULTIMATE EPS - 74"



RZR PRO R 4 ULTIMATE EPS - 74"
4 SEATS



SPORT/RECREATIONAL MODELS

Delivering next-level power, strength and control right from the factory. The Polaris RZR provides thrilling acceleration, maximum manoeuvrability and control and is built with rugged components to withstand the roughest terrain.

RZR TRAIL 900 EPS PREMIUM - 50"

- 1** POLY SPORT ROOF #2883928
- 2** GLASS WINDSHIELD WIPER KIT #2884755
- 3** FULL VENTED WINDSHIELD GLASS PART #2884756
- 4** LOCK & RIDE POLY REAR PANEL #2884765
- 5** POLARIS NORTHSTAR 30 QT. COOLER #2881315
- 6** REAR BUMPER EXTENSION #2884734-458

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR TRAIL 900 PREMIUM EPS - 50"



Colour: Polaris Blue




75 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



INDEPENDENT REAR SUSPENSION - 25.4CM OF TRAVEL



ZF TWIN TUBE



ELECTRONIC POWER STEERING



ELECTRONIC FUEL INJECTION



680KG TOWING CAPACITY



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR CALIPERS

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	875cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	High Performance True On-Demand AWD/2WD/VersaTracTurf Mode
Horsepower	75 HP

SUSPENSION

Front Suspension	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel
Rear Suspension	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel
Front Tyres	26 X 8 X 12; PXT
Rear Tyres	26 X 9 X 12; PXT
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	52.5 x 94 x 20 cm
Box Capacity	136 kg
Fuel Capacity	35.9 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	282 x 127 x 172 cm
Payload Capacity	336 kg
Wheelbase	200.7 cm
Estimated Dry Weight	571 kg

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet + 12V Power Plug
Lighting	Front Blacked Out Signature White LED Low/High with Accent Lights & Red LED Tail / Brake Lights

RZR TRAIL S 1000 PREMIUM - 60"



- 1** POLY SPORT ROOF #2883928
- 2** POLY WINDSCREEN
- 3** HIGH COVERAGE FRONT BUMPER
MATTE BLACK #2883749-458
- 4** GLASS WINDSHIELD WIPER KIT #2884755

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR TRAIL S 1000 PREMIUM EPS - 60"



Colour: Polaris Blue




100 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



INDEPENDENT REAR SUSPENSION - 33.5CM OF TRAVEL



2" FRONT and REAR WALKER EVANS NEEDLE SHOCKS



ELECTRONIC POWER STEERING



27" TYRES



ELECTRONIC FUEL INJECTION



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR CALIPERS

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	High Performance True On-Demand AWD/2WD
Horsepower	100 HP

SUSPENSION

Front Suspension	Dual A-Arm with Stabilizer Bar and 31.1 cm Wheel Travel
Rear Suspension	Dual A-Arm with Stabilizer Bar and 33.5 cm Wheel Travel
Front Tyres	27 x 9-12; Trailmaster A/T
Rear Tyres	27 x 11-12; Trailmaster A/T
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	52.5 x 94 x 20 cm
Box Capacity	136 kg
Fuel Capacity	35.9 L
Ground Clearance	31.8 cm
Vehicle Size (L x W x H)	282 x 152.4 x 176 cm
Payload Capacity	336 kg
Wheelbase	200.7 cm
Estimated Dry Weight	600 kg

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet + 12V Power Plug
Lighting	Front Blacked Out Signature White LED Low/High with Accent Lights & Red LED Tail / Brake Lights

RZR XP 1000 SPORT EPS - 64"



1 ALUMINIUM ROOF - BLACK #2881582-458

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR XP 1000 SPORT EPS - 64"



Colour: Cruiser Black




110 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



INDEPENDENT REAR SUSPENSION - 45.7CM OF TRAVEL



2" FRONT / 2.5" REAR WALKER EVANS NEEDLE SHOCKS



ELECTRONIC POWER STEERING



29" TYRES



TRAILING ARM WITH STABILIZER BAR 50.8CM USABLE TRAVEL



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR CALIPERS

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	High Performance True On-Demand AWD/2WD
Horsepower	110 HP

SUSPENSION

Front Suspension	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel
Rear Suspension	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel
Front Tyres	29 x 9-14; Radial Tyre
Rear Tyres	29 x 11-14; Radial Tyre
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	72.0 x 57.0 x 17.8 cm
Box Capacity	136.1 kg
Fuel Capacity	35.9 L
Ground Clearance	35.6 cm
Vehicle Size (L x W x H)	302.2 x 162.6 x 187.3 cm
Payload Capacity	336 kg
Wheelbase	228.6 cm
Estimated Dry Weight	662 kg

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet
Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights

RZR XP 4 1000 SPORT EPS - 64"

MORE POWER. MORE PERFORMANCE. SEAT 4.

1 ALUMINUM ROOF - BLACK #2881582-458

1



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR XP 4 1000 SPORT EPS - 64"

SPORT / RECREATIONAL



Colour: Cruiser Black




110 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



INDEPENDENT REAR SUSPENSION - 45.7CM OF TRAVEL



2" FRONT / 2.5" REAR WALKER EVANS NEEDLE SHOCKS



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR CALIPERS



ELECTRONIC POWER STEERING



29" TYRES



TRAILING ARM WITH STABILIZER BAR 50.8CM USABLE TRAVEL



SEATS 4



ELECTRONIC FUEL INJECTION

ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	High Performance True On-Demand AWD/2WD
Horsepower	110 HP

SUSPENSION

Front Suspension	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel
Rear Suspension	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel
Front Tyres	29 x 9-14; Radial Tyre
Rear Tyres	29 x 11-14; Radial Tyre
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	72.0 x 57.0 x 17.8 cm
Fuel Capacity	35.9 L
Ground Clearance	35.6 cm
Vehicle Size (L x W x H)	370.8 x 162.6 x 187.3 cm
Payload Capacity	408 kg
Box Capacity	136.1 kg
Wheelbase	297.2 cm
Estimated Dry Weight	758 kg

ADDED FEATURES

Instrumentation

Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, DC Outlet

RZR PRO XP SPORT EPS - 64"

1 POLY SPORT ROOF #2883928

2 RIGID 81CM SR SERIES
LIGHT BAR #2883947

3 DOOR CLOSE OFF #2883765

4 HIGH COVERAGE FRONT BUMPER
MATTE BLACK #2883749-458

5 FULL HC POLY VENTED
WINDSCREEN #2883756

6 FULL COVERAGE FENDER FLARES #2884685

7 PRO ARMOR WHEEL & TIRE SET:
5302 BEADLOCK & CRAWLER XR, 33"



**MODEL SHOWN WITH OPTIONAL ACCESSORIES*



RZR PRO XP SPORT EPS - 64



Colour: Cruiser Black



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR
SUSPENSION -
50.8CM OF TRAVEL



2" FRONT / 2.5"
REAR WALKER
EVANS NEEDLE
SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



TRAILING ARM
WITH STABILIZER
BAR 55.9CM
USABLE TRAVEL



30" TYRES



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



ELECTRONIC
POWER STEERING



ROCKFORD
FOSGATE AUDIO

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type 925cc/4-Stroke DOHC Twin Cylinder
Turbocharged EFI

Drive System Type Isolated Xtreme Performance True
On-Demand AWD/2WD

Horsepower 181 HP

SUSPENSION

Front Suspension High-Clearance Dual A-Arm with Stabilizer
Bar and 50.8 cm Usable Travel*, 43.2 cm
Wheel Travel

Rear Suspension Trailing Arm & High-Clearance Radius Rods
with Stabilizer Bar and 55.9 cm Usable
Travel*, 50.8 cm Wheel Travel

Front Tyres 30 x 10R14 MAXXIS Carnivore;
Wheel Size 14x6

Rear Tyres 30 x 10R14 MAXXIS Carnivore;
Wheel Size 14x7

Wheels Cast Aluminum

DIMENSIONS

Box Capacity 136.1 kg

Fuel Capacity 45.4 L

Ground Clearance 36.8 cm

Vehicle Size (L x W x H) 320 x 162.6 x 182.1 cm

Payload Capacity 336 kg

Wheelbase 244 cm

Estimated Dry Weight 796 kg

ADDED FEATURES

Seat Type Bolstered Bucket Seats with Driver 4-way
adjustability (including 6" front to back
toolless seat slider with tilt adjustability)
& Passenger tilt adjustability; 3-Pt Height
Adjustable Seat Belts

Lighting White LED Low/High & Red LED Tail /
Brake Lights

Doors Vented Full Doors

Electronic Power Steering High Assist Electronic Power Steering with
Quick Turn Rack; Race Inspired Steering Wheel

RZR PRO XP PREMIUM EPS - 64"

- 1** ALUMINUM ROOF - BLACK #2881582-458
- 2** RIGID 81CM SR SERIES LIGHT BAR #2883947
- 3** RIGID® E-SERIES 6" LIGHT BAR #2884649
- 4** HALF WINDSCREEN #2883135
- 5** ADJUSTABLE FOLDING SIDE MIRRORS #2883762
- 6** REAR SPEAKER PODS BY ROCKFORD FOSGATE® #2883945 AND REAR SPEAKER POD AUDIO HARNESS #2415152
- 7** FRONT LOW PROFILE BUMPER, MATTE BLACK #2883746-458



**A NEW CLASS
OF PERFORMANCE.**

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR PRO XP PREMIUM EPS - 64"



Colour: Matte Orange Rust



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR
SUSPENSION -
50.8CM OF TRAVEL



2" FRONT / 2.5"
REAR WALKER
EVANS NEEDLE
SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



TRAILING ARM
WITH STABILIZER
BAR 55.9CM
USABLE TRAVEL



30" TYRES



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



ELECTRONIC
POWER STEERING



ROCKFORD
FOSGATE AUDIO

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type 925cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI

Drive System Type Isolated Xtreme Performance True On-Demand AWD/2WD

Horsepower 181 HP

SUSPENSION

Front Suspension High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel, 43.2 cm of Wheel Travel

Rear Suspension Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel, 50.8 cm of Wheel Travel

Front Tyres 30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x6

Rear Tyres 30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x7

Wheels Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H) 66 x 45 x 29.2 cm

Box Capacity 136.1 kg

Fuel Capacity 45.4 L

Ground Clearance 36.8 cm

Vehicle Size (L x W x H) 320 x 162.6 x 182.1 cm

Payload Capacity 336 kg

Wheelbase 244 cm

Estimated Dry Weight 809 kg

ADDED FEATURES

Electronic Power Steering High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping Adjustment; Ride Command Push Button Controls

Lighting Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting

RZR PRO XP ULTIMATE EPS- 64"

1 ALUMINUM ROOF - BLACK #2881582-458

2 HALF WINDSCREEN #2883135



EXPERIENCE
THE POWER OF PRO.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR PRO XP ULTIMATE EPS- 64"



Colour: Super Graphite



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR
SUSPENSION -
50.8CM OF TRAVEL



2" FRONT / 2.5"
REAR WALKER
EVANS NEEDLE
SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



TRAILING ARM
WITH STABILIZER
BAR 55.9CM
USABLE TRAVEL




30" TYRES



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



ELECTRONIC
POWER STEERING



ROCKFORD
FOSGATE AUDIO

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	925cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	Isolated Xtreme Performance True On-Demand AWD/2WD
Horsepower	181 HP

SUSPENSION

Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
Rear Suspension	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
Front Tyres	30 x 10R14 MAXXIS Carnivore; Wheel Size 14x6
Rear Tyres	30 x 10R14 MAXXIS Carnivore; Wheel Size 14x7
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Box Capacity	136 kg
Fuel Capacity	45.4 L
Ground Clearance	36.8 cm
Vehicle Size (L x W x H)	320 x 162.6 x 182.1 cm
Payload Capacity	336 kg
Wheelbase	244 cm
Estimated Dry Weight	814 kg

ADDED FEATURES

Other Standard Features	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, USB Charging, Polaris P.A.S.S.
Seat Type	Bolstered Bucket Seats with Driver Side 4-way adjustability (including 6" front to back toolless seat slider with tilt adjustability) & Passenger tilt adjustability; Retractable Click-6 Harnesses

RZR PRO XP 4 SPORT EPS - 64"



1 ALUMINUM ROOF - BLACK #2881582-458

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR PRO XP 4 SPORT EPS - 64"



Colour: White Lightning



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR
SUSPENSION -
50.8CM OF TRAVEL



WALKER EVANS
2.5 NEEDLE
SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



TRAILING ARM
WITH STABILIZER
BAR 55.9CM
USABLE TRAVEL




30" TYRES



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



ELECTRONIC
POWER STEERING



ROCKFORD
FOSGATE AUDIO

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	925cc/4-Stroke DOHC Twin Cylinder Turbocharged EFI
Drive System Type	Isolated Xtreme Performance True On-Demand AWD/2WD
Horsepower	181 HP

SUSPENSION

Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
Rear Suspension	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*
Front Tyres	30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x6
Rear Tyres	30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x7
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Fuel Capacity	49.2 L
Ground Clearance	36.8 cm
Vehicle Size (L x W x H)	393.7 x 162.6 x 186.9 cm
Payload Capacity	408 kg
Box Capacity	136.1 kg
Wheelbase	317.5 cm
Estimated Dry Weight	914 Kg

ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Front and Rear DC Outlet
-----------------	--

RZR PRO XP 4 ULTIMATE - 64"

- 1** 4 SEAT ALUMINUM ROOF - MATTE BLACK
#2883990-458
- 2** RIGID 81CM SR SERIES LIGHT BAR #2883947
- 3** SPARE TYRE CARRIER #2884907-458

NEXT LEVEL
OF XTREME
PERFORMANCE
FOR FOUR.

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR PRO XP 4 ULTIMATE - 64"



Colour: Army Green



181 HP
TURBOCHARGED



ISOLATED XTREME
PERFORMANCE
ON DEMAND TRUE
ALL-WHEEL-DRIVE
(AWD)



INDEPENDENT
REAR
SUSPENSION -
50.8CM OF WHEEL
TRAVEL



FOX 2.5 PODIUM
LIVE VALVE
SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH DUAL-BORE
XL FRONT AND
DUAL-BORE REAR
CALIPERS



TRAILING ARM
STABILIZER BAR
55.9CM USABLE
TRAVEL




30" TYRES



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



ELECTRONIC
POWER STEERING



ROCKFORD
FOSGATE AUDIO

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	925cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI
Drive System Type	Isolated Xtreme Performance True On-Demand AWD/2WD
Horsepower	181 HP

SUSPENSION

Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
Rear Suspension	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
Front Tyres	30 x 10-14 MAXXIS 2.0 Carnivore (8-Ply); Wheel Size 14x6
Rear Tyres	30 x 10-14 MAXXIS 2.0 Carnivore (8-Ply); Wheel Size 14x7
Wheels	Cast Aluminum

DIMENSIONS

Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Box Capacity	136.1 kg
Fuel Capacity	49.2 L
Ground Clearance	36.8 cm
Vehicle Size (L x W x H)	393.7 x 162.6 x 186.9 cm
Payload Capacity	408 kg
Wheelbase	317.5 cm
Estimated Dry Weight	937 kg

ADDED FEATURES

Other Standard Features	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, USB Charging, Polaris P.A.S.S.
Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting

RZR
TURBO R



RZR
PRO R





CHOOSE

YOUR SUPERPOWER

RZR TURBO R



**TERRAIN TESTED.
DRIVER APPROVED.**

Powering RZR Turbo R over dunes, trails and rocks is a factory-installed turbo engine proven to perform and engineered to last. Prepare to be thrilled.

925CC TURBO ENGINE

THE RIGHT POWER. RIGHT WHEN YOU NEED IT.

—
Designed for instant corner-to-corner acceleration so you'll always have the power you need to stay out in front.

LOWER LOW GEAR

MORE TORQUE FOR TOUGH TERRAIN

—
Low and slow is the way to go when you're tackling the wildest, most technical terrain. RZR Turbo R offers plenty of low gear to capably crawl around, through or over demanding terrain.

181 HORSEPOWER

PROSTAR 925CC TURBO ENGINE

2-CYLINDER

POWER





RZR PRO R

**THE MOST POWERFUL
SIDE-BY-SIDE
ENGINE EVER**

At the heart of the all-new RZR Pro R lies the industry's first naturally aspirated 2.0 L, 4-cylinder engine – boasting more cylinders and more horsepower than any engine ever dropped in a factory side-by-side. With the incredible power to climb, crawl or race your way to more amazing moments on the trail or in the sand, get ready for a ride like never before.

225 HORSEPOWER

**PROSTAR FURY 2.0 L ENGINE
4-CYLINDER**

**STAYS COOLER IN
HOT ENVIRONMENTS**

SPEND MORE TIME IN THE SAND, DIRT AND ROCKS.

With a large front fascia and massive radiator, the RZR Pro R is designed to keep your engine running at optimal temperatures. So you can ride on and on.

**THROTTLE
CONTROL MODES**

OPTIMIZED POWER FOR EVERY CONDITION

No matter what challenges the terrain has in store, you'll always have the optimal throttle response for the conditions.

RACE

Offers touch-sensitive response that puts power straight to the ground for the fastest hook-up and straight-line acceleration.

ROCK

A slower, more controlled pedal response provides the best slow-speed throttle accuracy – just what you want when rock climbing or maneuvering over tight, technical terrain.

SPORT

This versatile mode is a great balance of throttle response and control across almost all terrains. It's perfect for your everyday driving situations.



STANDARD ON
RZR TURBO R AND RZR PRO R

ONE-PIECE CHASSIS

A STABLE FOUNDATION

You'll find a one-piece chassis in all of our Wide Open machines. Built to last, they keep everything firmly in place and allow the machine's superior suspension components to do their part, so you can keep riding across the roughest terrain.

MASSIVE SUSPENSION COMPONENTS

ENGINEERED TO GO BEYOND

Hit the whoops and the rocks with confidence, knowing that your RZR Turbo R or RZR Pro R is engineered with the industry's most robust suspension system featuring huge boxed steel front a-arms, double-shear joints, M14 bolts and more.

UNITIZED HUBS

BRINGING ONROAD TECHNOLOGY OFF-ROAD

Unitized hubs protect your bearings from dust, sand and dirt. Your RZR will operate at its prime longer, and you'll have the freedom to ride even farther off-road.

UNDENIABLY
STRONG

STRENGTH

DURABILITY YOU CAN TRUST

Engineered to keep up with your desire to push limits, RZR Turbo R and RZR Pro R deliver true quality and strength. Stronger chassis, shafts, suspension components, hubs, bearings and more mean they're ready for you to put them through their paces.

ONLY AVAILABLE ON RZR PRO R **RZR PRO R**



ONE-PIECE FULLY WELDED ROLL CAGE

SURROUND YOURSELF WITH STRENGTH

RZR Pro R features an all-new one-piece, fully welded roll cage that delivers next-level strength. In addition to giving you greater confidence, the cage adds additional rigidity to the chassis, helping to efficiently deliver more power to the ground and you to the front of the pack.


THE INCREDIBLE STRENGTH OF THE RZR PRO R



DUAL PATH CLUTCH COOLING

LESS MAINTENANCE AND MORE RIDE TIME

The CVT on the RZR Pro R is redesigned to include bigger clutches, an increased center distance, a larger belt and enhanced air flow to minimize heat for longer belt life. This means improved performance and more epic time out riding.



STRONGER DRIVELINE

MORE STRENGTH TO DELIVER BIG POWER

Push the limits knowing that the driveshafts, prop shafts, half shafts and knuckles in your RZR Pro R are stronger than ever before and that a new torque limiter is there to help protect your front drive from sudden surges during power-on landings.



NEXT-GENERATION
DYNAMIX DV
 ACTIVE SUSPENSION



**THE INDUSTRY'S ONLY INDEPENDENTLY CONTROLLED
 COMPRESSION AND ELECTRIC REBOUND SUSPENSION SYSTEM**

**OUR SMARTEST
 SUSPENSION YET**

DYNAMIX DV is the next generation of off-road suspension control. Like previous DYNAMIX systems, it monitors input from the driver and machine 200 times per second and automatically adjusts each shock to reduce corner lean, soak up bumps and handle almost anything in your way. And now, with FOX® Live Valve X2 shocks, it's the first in the industry to provide electronic independent compression and rebound control, providing you with a ride that is as smooth as possible throughout the system's massive usable travel.

*DYNAMIX DV AVAILABLE ONLY ON RZR TURBO R ULTIMATE AND RZR PRO R ULTIMATE

CONTROL



**COMPRESSION
 AND REBOUND**

SEMI-ACTIVE DAMPING CONTROL SYSTEM

DYNAMIX DV utilizes both a compression valve and a rebound valve to independently control damping across the suspension system's full range of motion – an industry first. This revolutionary system controls everything from shock reaction to vehicle height for the ideal ride in any situation.



X-BUTTON

AN ANSWER TO THE UNEXPECTED

Also known as the "Oh (Bleep) Button," it's the ultimate answer for ugly surprises. It lets you instantly take all four shocks to Full Firm Compression Damping and keeps them there until you release the button. You can control your suspension without ever having to take your hands off the wheel.

SUSPENSION MODES

REVOLUTIONARY RIDE CONTROL



MODE 1:

COMFORT

SOAK UP BUMPS

Enjoy maximum comfort with plush suspension settings for all-day rides.

COMPRESSION/REBOUND DAMPING

Low compression damping and low rebound damping for maximum absorption. Perfect for a long day of riding.



MODE 2:

TRACK

OPTIMAL CORNERING PERFORMANCE

Perfect for twisty trails or short-course racing tracks.

COMPRESSION/REBOUND DAMPING

Medium compression damping and high rebound damping maximize handling performance to corner like you're running on rails.



MODE 3:

ROCK

CRAWL OVER ROCKS AND BOULDERS

High ride height ideal for rock crawling or off-camber driving situations.

COMPRESSION/REBOUND DAMPING

When traversing rocks and slopes, the vehicle measures the angle and adjusts compression and rebound damping to lean the vehicle into the slope and maximize stability.



MODE 4:

BAJA

FLOAT THROUGH THE WHOOPS

This aggressive tuning provides trophy-truck feel in rough desert.

COMPRESSION/REBOUND DAMPING

High compression damping and low rebound damping allows the shocks to extend for maximum travel and ground contact. In corners, it lowers the front end for aggressive cornering.



AUTO-ADJUSTED POWER STEERING

MORE CONTROL IN YOUR HANDS

In addition to monitoring and controlling the suspension system, DYNAMIX DV reacts to vehicle inputs to automatically adjust power steering. By dampening the impact the wildest terrain has on the wheel, your hands and your body, the system gives you greater comfort, control and confidence.

RZR TURBO R ULTIMATE EPS - 74"

- 1** ALUMINUM ROOF - BLACK #2881582-458
- 2** RIGID 81CM SR SERIES LIGHT BAR #2883947
- 3** FRONT PRE RUNNER BUMPER #2884354-293
- 4** LOCK & RIDE HALF WINDSHIELD - HARD COAT POLY, LOW #2884746
- 5** REAR HIGH COVERAGE BUMPER, INDY RED #2884189-293
- 6** ADJUSTABLE FOLDING SIDE MIRRORS #2883762
- 7** HD EXTREME KICK-OUT ROCK SLIDERS, 2-SEAT #2889208-293



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR TURBO R ULTIMATE EPS - 74"



Colour: Onyx Black



181 HP - TURBOCHARGED



ISOLATED XTREME PERFORMANCE TRUE ON-DEMAND AWD/2WD



DYNAMIX DV ELECTRONIC SUSPENSION CONTROL SYSTEM WITH SELECTABLE RIDE MODES - COMFORT, ROCK, TRACK, BAJA



FOX 3.0 LIVE VALVE X2 SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CALIPERS



TRAILING ARM WITH STABILIZER BAR 71.9CM USABLE TRAVEL




32" TYRES WITH 15" PAINTED CAST ALUMINIUM WHEELS



GPS RIDE COMMAND 7" TOUCH SCREEN DISPLAY



RACK MOUNTED HIGH ASSIST ELECTRONIC POWER STEERING WITH QUICK TURN RACK



ROCKFORD FOSGATE PREMIUM AUDIO

SPORT / RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type 925 cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI

Drive System Type Isolated Xtreme Performance True On-Demand AWD/2WD

Horsepower 181 HP

SUSPENSION

Front Suspension Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs

Rear Suspension Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs

Front Tyres 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7

Rear Tyres 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7

Wheels Painted Cast Aluminium Rim with 5-Lug Pattern

DIMENSIONS

Bed Box Dimensions (L x W x H) 66 x 45 x 29.2 cm

Box Capacity 136 kg

Fuel Capacity 45.4 L

Ground Clearance 40.6 cm

Vehicle Size (L x W x H) 325 x 188 x 189 cm

Payload Capacity 331 kg

Wheelbase 244 cm

Estimated Dry Weight 913 kg

ADDED FEATURES

Steering Wheel Race Inspired Steering Wheel with Tilt and Telescoping Adjustment

Seat Type Color-Matched Bolstered Bucket Seats with Driver 4-way adjustability (including 15.24 cm front to back toolless seat slider with tilt adjustability) & Passenger tilt adjustability; Retractable Click-6 Harnesses

RZR TURBO R 4 ULTIMATE EPS - 74"



- 1** ALUMINUM ROOF - BLACK #2881582-458
- 2** RIGID 81CM SR SERIES LIGHT BAR #2883947
- 3** ASSAULT BOMBER MIRRORS #2884624-293
- 4** PIVOTING SPARE TIRE CARRIER #2884907-458
- 5** FRONT PRE RUNNER BUMPER #2884354-293

*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR TURBO R 4 ULTIMATE EPS - 74"



SPORT / RECREATIONAL

Colour: Onyx Black



181 HP - TURBOCHARGED



ISOLATED XTREME PERFORMANCE TRUE ON-DEMAND AWD/2WD



DYNAMIX DV ELECTRONIC SUSPENSION CONTROL SYSTEM WITH SELECTABLE RIDE MODES - COMFORT, ROCK, TRACK, BAJA



FOX 3.0 LIVE VALVE X2 SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CALIPERS



CONVERTIBLE FOLD FLAT REAR SEAT STORAGE WITH INTEGRATED TIE DOWNS POINTS




32" TYRES WITH 15" PAINTED CAST ALUMINIUM WHEELS



GPS RIDE COMMAND 7" TOUCH SCREEN DISPLAY



RACK MOUNTED HIGH ASSIST ELECTRONIC POWER STEERING WITH QUICK TURN RACK



ROCKFORD FOSGATE PREMIUM AUDIO

ENGINE & DRIVETRAIN

Displacement / Engine Type 925 cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI

Drive System Type Isolated Xtreme Performance True On-Demand AWD/2WD

Horsepower 181 HP

SUSPENSION

Front Suspension Light Weight Boxed Dual A-Arm with 3 Piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs

Rear Suspension Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 22.4" (56.9 cm) Wheel Travel, Unitized Hubs

Front Tyres 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7

Rear Tyres 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7

Wheels Painted Cast Aluminum Rim with 5-Lug Pattern

DIMENSIONS

Bed Box Dimensions (L x W x H) 66 x 45 x 29.2 cm

Box Capacity 136 kg

Fuel Capacity 49.2 L

Ground Clearance 40.6 cm

Vehicle Size (L x W x H) 340 x 188 x 196 cm

Payload Capacity 526 kg

Wheelbase 317.5 cm

Estimated Dry Weight 1,037 kg

ADDED FEATURES

Steering Wheel Race Inspired Steering Wheel with Tilt and Telescoping Adjustment

Seat Type Cut & Sew Front Bolstered Bucket Seats with 4-way adjustability (including 15.24 cm front to back toolless seat sliders with tilt adjustability) and Retractable Click-6 Harnesses, Rear Stadium style seating with non-retractable 6-point harnesses

RZR PRO R ULTIMATE EPS - 74"

- 1** HALF WINDSCREEN #2883135
- 2** RIGID® SR-SERIES 32" COMBO LED LIGHT BAR
- 3** FRONT PRE RUNNER BUMPER #2884354-293



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR PRO R ULTIMATE EPS - 74"

SPORT/RECREATIONAL



Colour: Crystal Blue



225 HP



4 CYLINDER
2.0 LITRE ENGINE



DYNAMIX DV ELECTRONIC
SUSPENSION CONTROL
SYSTEM WITH
SELECTABLE RIDE
MODES - COMFORT,
ROCK, TRACK, BAJA



FOX 3.0 LIVE
VALVE X2 SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



TRAILING ARM
WITH STABILIZER
BAR 73.7CM
USABLE TRAVEL



32" TYRES WITH
15" PAINTED
CAST ALUMINIUM
WHEELS



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



RACK MOUNTED
HIGH ASSIST
ELECTRONIC POWER
STEERING WITH
QUICK TURN RACK



ROCKFORD
FOSGATE PREMIUM
AUDIO

ENGINE & DRIVETRAIN

Displacement / Engine Type	1997cc / 4-Stroke DOHC Inline Four Cylinder EFI
Drive System Type	Pro Performance True 2WD/4WD/4WD Lock
Horsepower	225 HP

SUSPENSION

Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
Rear Suspension	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs
Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern

DIMENSIONS

Bed Box Dimensions (L x W x H)	75 x 60.5 x 20.6 cm
Box Capacity	136 kg
Fuel Capacity	45.4 L
Ground Clearance	40.6 cm
Vehicle Size (L x W x H)	347 x 188 x 185 cm
Payload Capacity	336 kg
Wheelbase	265.4cm
Estimated Dry Weight	992 kg

ADDED FEATURES

Steering Wheel	Race Inspired Steering Wheel with Tilt and Telescoping Adjustment
Seat Type	Color-Matched Bolstered Bucket Seats with Driver 4-way adjustability (including 15.24 cm front to back toolless seat slider with tilt adjustability) & Passenger tilt adjustability; Retractable Click-6 Harnesses

RZR PRO R 4 ULTIMATE EPS - 74"

- 1** RIGID® SR-SERIES 32" COMBO LED LIGHT BAR
- 2** FRONT PRE RUNNER BUMPER #2884354-293
- 3** REAR PRE RUNNER BUMPER #2884358-293



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



RZR PRO R 4 ULTIMATE EPS - 74"



Colour: Crystal Blue



225 HP



4 CYLINDER
2.0 LITRE ENGINE



DYNAMIX DV ELECTRONIC
SUSPENSION CONTROL
SYSTEM WITH
SELECTABLE RIDE
MODES - COMFORT,
ROCK, TRACK, BAJA



FOX 3.0 LIVE
VALVE X2 SHOCKS



4-WHEEL
HYDRAULIC DISC
WITH TRIPLE-
BORE FRONT AND
DUAL-BORE REAR
CALIPERS



CONVERTIBLE
FOLD FLAT REAR
SEAT STORAGE
WITH INTEGRATED
TIE DOWNS POINTS



32" TYRES WITH
15" PAINTED
CAST ALUMINIUM
WHEELS



GPS RIDE
COMMAND
7" TOUCH SCREEN
DISPLAY



RACK MOUNTED
HIGH ASSIST
ELECTRONIC POWER
STEERING WITH
QUICK TURN RACK



ROCKFORD
FOSGATE PREMIUM
AUDIO

SPORT/RECREATIONAL

ENGINE & DRIVETRAIN

Displacement / Engine Type	1997cc / 4-Stroke DOHC Inline Four Cylinder EFI
Drive System Type	Pro Performance True 2WD/4WD/4WD Lock
Horsepower	225 HP

SUSPENSION

Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
Rear Suspension	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs
Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern

DIMENSIONS

Bed Box Dimensions (L x W x H)	75 x 60.5 x 20.6 cm
Box Capacity	136 kg
Fuel Capacity	46.56 L
Ground Clearance	40.6 cm
Vehicle Size (L x W x H)	420 x 188 x 194 cm
Payload Capacity	408 kg
Wheelbase	339.1 cm
Estimated Dry Weight	1,125 kg

ADDED FEATURES

Steering Wheel	Race Inspired Steering Wheel with Tilt and Telescoping Adjustment
Seat Type	Cut & Sew Front Bolstered Bucket Seats with 4-way adjustability (including 15.24 cm front to back toolless seat sliders with tilt adjustability) and Retractable Click-6 Harnesses, Rear Stadium style seating with non-retractable 6-point harnesses



*MODEL SHOWN WITH OPTIONAL ACCESSORIES



POLARIS SPORT/RECREATIONAL DARE TO COMPARE



RZR XP 1000 SPORT EPS - 64"

COMPARE THE FACTS	RZR XP 1000 SPORT EPS - 64"	CAN-AM MAVERICK X3 DS TURBO	KAWASAKI TERYX KRX 1000	HONDA TALON SXS1000S2R
HORSEPOWER (HP)	110	120 ✓	113	105
GROUND CLEARANCE (MM)	35.6	35.6	36.5 ✓	33
ALL-WHEEL-DRIVE	High-Performance True On-Demand AWD/2WD ✓	Selectable 2WD / 4WD with Visco-Lok+ auto-locking front differential ✓	2WD/4WD, Shaft	2WD and i-4WD
WHEELBASE (CM)	228.6 ✓	259.1	251	222.6
TYRES	29" Radial Tyre	28" MAXXIS Bighorn	31" MAXXIS Carnivore ✓	28" *
FUEL CAPACITY (L)	35.9	40 ✓	40 ✓	27.6
USABLE SUSPENSION TRAVEL FRONT/REAR (MM)	50.8 / 50.8 ✓	50.8 / 50.8 ✓	*	*



POLARIS DYNAMIX
VS.
CAN-AM SMART SHOX

DYNAMIX FOX LIVEVALVE TECHNOLOGY	CAN-AM SMART SHOX STANDARD FOX SHOCKS WITHOUT LIVEVALVE
<p>3 SUSPENSION MODES + X BUTTON ✓</p> <p>3 Ride Modes to Best Fit Your Ride: Comfort, Sport & Firm All 3 ride modes have semi-active damping control. PLUS X Button to send the compression damping full firm for 1 second when you see unexpected terrain.</p>	<p>3 SUSPENSION MODES</p> <p>3 Ride Modes: Comfort, Sport, Sport+ 2 modes with semi-active damping control and one full stiff (Sport+). No X Button.</p>
<p>YEARS AHEAD IN DEVELOPMENT WITH THE FIRST INTELLIGENT COMPRESSION SUSPENSION ✓</p> <p>Increased learning and development from being first to market. 3 years of proven performance and durability.</p>	<p>PISTON VALVE CONTROL</p> <p>Can-Am Smart Shox sense then react using a piston valve.</p>
<p>PREDICTIVE CONTROL ✓</p> <p>Valve reaction time of 0.04 seconds, updating damping targets at 200 times/second with predictive control algorithms. Steering angle sensor helps predict corners quicker. Suspension dampers adjust through the entire turn to promote optimal cornering. Airborne feature pre-predicts landing so that the vehicle lands full stiff. ✓</p>	<p>VALVE REACTION</p> <p>Valve reaction time of 0.014 seconds, updating damping targets at 200 times/second. No steering angle sensor and must react to corner versus predicting the corner. No marketed Airborne feature.</p>
<p>INTEGRATED THROUGHOUT ✓</p> <p>Control and change modes from the steering wheel. X button on steering wheel for instant adjustment and firming when unexpected terrain hits. Visualization from the driver's seat via RIDE COMMAND.</p>	<p>LIMITED INTEGRATION</p> <p>No steering wheel controls. No visualization like RIDE COMMAND</p>

COMPARISON MADE BETWEEN 2021 CAN-AM AND POLARIS MODELS.

*Can-Am Maverick are trademarks of Bombardier Recreational Products Inc. Kawasaki Teryx is a trademark of Kawasaki Heavy Industries Inc. Honda Talon is a trademark of Honda Motor Company Ltd. All comparative data sourced from manufacturer websites, physical assessment and brochure downloads from those sites prior to 9.12.20. *Information not available.



SPECIFICATIONS



RANGER 150 EFI



RZR 200 EFI

	RANGER 150 EFI	RZR 200 EFI
ENGINE		
Engine Type	4-Stroke Single Cylinder	4-Stroke Single Cylinder
Displacement	150cc	180cc
Fuel System	EFI	EFI
Cooling	Air & Oil	Fan
DRIVETRAIN		
Transmission / Final Drive	Automatic PVT F/N/R; Chain	Automatic PVT F/N/R; Chain
Drive System	2WD	2WD
Engine Braking System / Active Descent Control	Not Equipped/Not Equipped	Not Equipped/Not Equipped
SUSPENSION		
Front Suspension	Dual A-Arm 13 cm Travel	Dual A-Arm with 17.8 cm Travel
Rear Suspension	Swingarm Dual Shocks with 15.2 cm Travel	Independent Rear Suspension with 17.8 cm Travel
BRAKES		
Front / Rear Brakes	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
Parking Brake	Hand-Actuated	Hand-Actuated
TYRES AND WHEELS		
Front Tyres	22 x 7-10 Wanda	24 x 8 - 12 CST
Rear Tyres	22 x 10-10 Wanda	24 x 10 - 12 CST
Wheels	Stamped Steel	Stamped Steel
Wheelbase	165.1 cm	165.1 cm
Dry Weight	305 kg	334 kg
DIMENSIONS / CAPACITIES		
Overall Vehicle Size (L x W x H)	215.9 x 121.9 x 147.3 cm	225.6 x 121.9 x 151.2 cm
Ground Clearance	20.3 cm	25.4 cm
Seat Height	N.A.	N.A.
Fuel Capacity	9.5 L	9.5 L
Front / Rear Rack or Box Capacity	N.A./22.7 kg	N.A./ 22.7 kg
Payload Capacity	170 kg	170 kg
Hitch Type	N.A.	N.A.
FEATURES		
Lighting	LED Day Time Running Lights, Single Rear Brakelight/Taillight	LED Running Lights, Single Rear Breaklight/Taillight
Electronic Power Steering	Not Equipped	Not Equipped
Instrumentation	Digital Display with gear indicator, odometer, trip meter, voltage, engine temperature, engine hour meter, programmable service hour interval, ground speed, engine RPM, GeoFence status, clock, or speed limit status	Digital Display with Gear Indicator, Odometer, Trip Meter, Voltage, Engine Temperature, Engine Hour Interval, Ground Speed, Engine RPM, Youth Ride Command (Speed Limiting, Geofencing, Helmet Aware)
Colours	Sage Green	White



RANGER 500



RANGER 570 HD EPS ADC



RANGER SP 570 EPS PREMIUM



RANGER EV (ELECTRIC VEHICLE)

ENGINE	Engine Type	4-Stroke Single Cylinder	4-Stroke Single Cylinder	4-Stroke Single Cylinder DOHC	Single 48-Volt, High-Efficiency, AC-Induction Motor
	Displacement	500cc	567cc	567cc	N.A.
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Traditional Lead-Acid
	Cooling	Liquid	Liquid	Liquid	N.A.
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Direct Drive With Low-Noise Gears
	Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	True On-Demand AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	Engine Braking System / Active Descent Control	Not Equipped/Not Equipped	Standard / Standard	Not Equipped/Not Equipped	Not Equipped/Not Equipped
	Front Suspension	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel
BRAKES	Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 22.9 cm Travel
	Front/Rear Brakes	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
TYRES AND WHEELS	Parking Brake	Park In-Transmission	Park in Transmission & Hand Brake	Park In-Transmission	Hand-Actuated
	Front Tyres	25 x 8-12; Carlisle 489	25 x 8-12; 489	25 x 8-12; Carlisle 489	25 x 9-12; Carlisle
DIMENSIONS / CAPACITIES	Rear Tyres	25 x 10-12; Carlisle 489	25 x 10-12; 489	25 x 10-12; Carlisle 489	25 x 9-12; Carlisle
	Wheels	Stamped Steel	Stamped Steel	12" Black Aluminum	Stamped Steel
	Wheelbase	185.4 cm	185.4 cm	185.4 cm	182.9 cm
	Dry Weight	483 kg	489 kg	564 kg	799.2 kg
	Overall Vehicle Size (L x W x H)	279 x 147 x 185 cm	279 x 147 x 185 cm	274.3 x 142.2 x 188 cm	279 x 147 x 185 cm
	Ground Clearance	25.4 cm	25.4 cm	27.9 cm	25.4 cm
	Seating Capacity	2	2	2	2
	Fuel Capacity	34.1 L	34.1 L	35.9 L	N.A.
	Dump Box Capacity Dimensions (L x W x H)	81 x 107 x 29 cm	81 x 107 x 29 cm	81 x 107 x 29 cm	81 x 107 x 29 cm
	Front/Rear Rack or Box Capacity	N.A / 227 kg	N.A / 227 kg	N.A / 230 kg	227 kg
FEATURES	Payload Capacity	453.6 kg	453.6 kg	453.6 kg	453.6 kg
	Hitch Towing Rating	680 kg	680 kg	680 kg	680 kg
	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver
	Cargo System/Cab	Lock & Ride	Lock & Ride	Lock & Ride	Lock & Ride
	Lighting	50W Headlight, LED Tail	50W Headlight, LED Tail	Halogen Headlamps, 55W low beam, 60W high beam, LED Taillamps	50W Headlight, LED Tail
	Electronic Power Steering	Accessory	Standard	Standard	Not Equipped
	Adjustable Driver's Seat	Not Equipped	Not Equipped	Not Equipped	Not Equipped
	Tilt Steering	Standard	Standard	Standard	Standard
Instrumentation	Single Analog Dial with 2" LCD Rider Information Center, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Volt Meter, Service Indicator and Codes, Seatbelt Reminder Light, DC Outlet	Digital Gauge, Speedometer, Odometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Hi-Temp, Coolant Temperature, Voltmeter, Service Indicator, Seat Belt Reminder, DC Outlets (1)	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Digital Hour Meter, Mode Indicator, DC Outlet, Hi-Temp Light, Change Cycle Indicator, Battery Life Indicator	
Other Standard Features	NA	Upgraded Rear Driveshaft, Grease Nipples, HD Sway Bar, Sealed Suspensions Bushings, Sealed Ball Joints, Driveshaft Spline Seals	Premium Cut & Sew Seats, Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port	N.A	
Colours	Sage Green	Bronze Mist	Polaris Blue	Avalanche Grey	



RANGER XP 1000 EPS



RANGER 1000 EPS PREMIUM



RANGER XP 1000 HD EPS ADC



RANGER DIESEL HD EPS ADC

ENGINE	Engine Type	4-Stroke Twin Cylinder SOHC	4-Stroke Twin Cylinder SOHC	4-Stroke DOHC Twin Cylinder	3-Cylinder Diesel
	Displacement	999cc	999cc	999cc	898cc
FUEL SYSTEM / BATTERY	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Mechanical Injection
	Cooling	Liquid	Liquid	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft
	Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/ VersaTrac Turf Mode	Pro-Lock On-Demand AWD/2WD/ VersaTrac Turf Mode with 3-Mode Throttle Control	True On-Demand AWD/2WD/VersaTrac Turf Mode
SUSPENSION	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Standard / Standard	Standard / Standard
	Front Suspension	Dual A-Arm 25.4 cm Travel	Dual A-Arm 25.4 cm Travel	Dual A-Arm 27.9 cm Travel	Dual A-Arm 27.9 cm Travel
BRAKES	Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm, IRS 27.9 cm Travel
	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
TYRES AND WHEELS	Parking Brake	Park In-Transmission	Park In-Transmission	Park in Transmission & Hand Brake	Park in Transmission & Hand Brake
	Front Tyres	25 x 10-12; Carlisle 489	26 x 9-12; PXT 2.0	27 x 9-14 Maxxis MU521	27 x 9-R12 Maxxis MU51
DIMENSIONS / CAPACITIES	Rear Tyres	25 x 11-12; Carlisle 489	26 x 11-12; PXT 2.0	27 X 11-14 Maxxis MU521	27 x 11-R12 Maxxis MU52
	Wheels	Stamped Steel	Aluminum Black Xcelerator 2.0	Black Aluminum with Machined Accents	Stamped Steel
	Wheelbase	206 cm	206 cm	206 cm	206 cm
	Dry Weight	674 kg	697 kg	709.9 kg	766 kg
	Overall Vehicle Size (L x W x H)	305 x 158 x 193 cm	305 cm x 158 cm x 193 cm	305 x 158 x 196 cm	305 x 158 x 196 cm
	Ground Clearance	30.5 cm	31.8 cm	33 cm	33 cm
	Seating Capacity	3	3	3	3
	Fuel Capacity	43 L	43 L	43.5 L	43.5 L
	Dump Box Capacity Dimensions (L x W x H)	93.3 cm x 137.8 cm x 31.75 cm	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm	93 x 137 x 29 cm
	Front/Rear Rack or Box Capacity	N.A / 454 kg	N.A / 454 kg	N.A. / 454 kg	N.A / 435kg
FEATURES	Payload Capacity	939 kg	939 kg	871 kg	719 kg
	Hitch Towing Rating	1,134 kg	1,134 kg	1,134 kg	1,134 kg
	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard / 2" Receiver	Standard / 2" Receiver
	Cargo System/Cab	Lock & Ride	Lock & Ride	Lock & Ride	Lock & Ride
	Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps	55W Low/ 60W High, LED Tail
	Electronic Power Steering	Standard	Standard	Standard	Standard
	Adjustable Driver's Seat	Not Equipped	Standard	Standard	Not Equipped
	Tilt Steering	Standard	Standard	Standard	Standard
	Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Digital Gauge, Speedometer, Odometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Hi-Temp, Coolant Temperature, Voltmeter, Service Indicator, Seat Belt Reminder, DC Outlets (2)	Digital Gauge, Speedometer, Odometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Hi-Temp, Coolant Temperature, Voltmeter, Service Indicator, Seat Belt Reminder, Glow Plug Indicator, DC Outlets (2)
	Other Standard Features	Polaris Pulse Electrical System (3 position)	Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port and prep package.	Premium Cut & Sew Seats, Premium Steering Wheel and Interior Accents	Donaldson Air Filter, Side Mirrors, Electrical Pulse Bar, Flip up passenger seat
Colours	Sage Green	Polaris Blue	Matte Navy Blue	Sage Green	



RANGER XP 1000 EPS PREMIUM NORTHSTAR



RANGER XP KINETIC PREMIUM EPS



RANGER XP KINETIC ULTIMATE EPS

	RANGER XP 1000 EPS PREMIUM NORTHSTAR	RANGER XP KINETIC PREMIUM EPS	RANGER XP KINETIC ULTIMATE EPS	
ENGINE	Engine Type / Motor	4-Stroke Twin Cylinder DOHC / N.A.	N.A. / Interior Permanent Magnet AC Motor	N.A. / Interior Permanent Magnet AC Motor
	Displacement	999cc	Not Equipped	Not Equipped
	Fuel System / Battery	Electronic Fuel Injection	Lithium Ion, 14.9 kWh Nominal	Lithium Ion, 29.8 kWh Nominal
DRIVETRAIN	Cooling	Liquid	Active Air and Liquid	Active Air and Liquid
	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Gates Synchronous Belt H/L/N/P (Electronic Forward/Reverse), Shaft	Gates Synchronous Belt H/L/N/P (Electronic Forward/Reverse), Shaft
	Drive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Regenerative Braking / Not Equipped	Regenerative Braking / Not Equipped
	Front Suspension	Dual A-Arm 27.9 cm Travel	Dual A-Arm 25.4 cm Travel	Dual A-Arm 25.4 cm Travel
	Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
	Parking Brake	Park In-Transmission	Park In-Transmission	Park In-Transmission
	Front Tyres	27 x 9-14; Pro Armor X-Terrain	29 x 9-14; PRO ARMOR X-TERRAIN	29 x 9-14; PRO ARMOR X-TERRAIN
TYRES AND WHEELS	Rear Tyres	27 x 11-14; Pro Armor X-Terrain	29 x 11-14; PRO ARMOR X-TERRAIN	29 x 11-14; PRO ARMOR X-TERRAIN
	Wheels	35.6 cm Aluminum	35.6 cm Aluminum	35.6 cm Aluminum
	Wheelbase	206 cm	206 cm	206 cm
DIMENSIONS / CAPACITIES	Dry Weight	872 kg	785 kg *Pre-production estimates and final vehicles weights may vary slightly	900 kg *Pre-production estimates and final vehicles weights may vary slightly
	Overall Vehicle Size (L x W x H)	305 x 165 x 198 cm	305 x 158 x 198 cm	305 x 158 x 198 cm
	Ground Clearance	33 cm	35.6 cm	35.6 cm
	Seating Capacity	3	3	3
	Fuel Capacity	43.5 L	N.A.	N.A.
	Dump Box Capacity Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm
	Front/Rear Rack or Box Capacity	N.A. / 454kg	N.A. / 567 kg	N.A. / 567 kg
	Payload Capacity	578.3 kg	680.4 kg	680.4 kg
	Hitch Towing Rating	1,134 kg	1,134 kg	1,134 kg
	Hitch Type	Standard 5 cm Receiver	Standard 5.08 cm Receiver	Standard 5.08 cm Receiver
FEATURES	Cargo System/Cab	Lock & Ride	Lock & Ride	Lock & Ride
	Lighting	Dual LED Headlamps, 1250lm Low Beam, 2300lm High Beam, Dual LED Taillamps	Dual LED Headlamps, 1250lm low beam, 2300lm high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps	Dual LED Headlamps, 1250lm low beam, 2300lm high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps
	Electronic Power Steering	Standard	Standard	Standard
Other Standard Features	Adjustable Driver's Seat	Standard	Standard	Standard
	Tilt Steering	Standard	Standard	Standard
	Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Driver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: User Selectable Backlighting & Brightness, Programmable Service Intervals, Speedometer, Power Use %, Battery Regen %, Odometer, Tripmeter, Clock, Gear Indicator, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Battery Voltage, Service Indicator and Codes, Seat Belt Reminder	Center Mounted 7" Glove Touch Display with EV Infotainment (includes Range Remaining, Battery State of Charge, Charging Status, Launch Indicator, System Diagnostics and more) Speed Limiting, Plow Mode, Group Ride, GPS Navigation, Air Temp., Bluetooth, AM/FM Radio, Driver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: User Selectable Backlighting & Brightness, Programmable Service Intervals, Speedometer, Power Use %, Battery Regen %, Odometer, Tripmeter, Clock, Gear Indicator, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Battery Voltage, Service Indicator and Codes, Seat Belt Reminder
	Polaris HD 4,500 Lb. Synthetic Rope Winch with Autostop and Wireless Remote, Premium Pro-Shield Cab, Doors with Crank Windows, Fixed Glass Windshield with Wiper, Rear Glass Panel, Dome Light, Rearview Mirror, Heat, AC, Defrost, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Northstar Premium Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System with 6-Position Underhood Busbar and 6-Position Roof Busbar, Standard In-Dash SAE Charge Port	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), DC Outlet, Dual USB Port, Cargo Box Located 12V SAE Port with In-Dash On/Off Switch, Connectivity with RIDE COMMAND- via the Polaris app.	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), DC Outlet, Dual USB Port, Cargo Box Located 12V SAE Port with In-Dash On/Off Switch, In-Dash Speakers, Rear Camera, Connectivity with RIDE COMMAND- via the Polaris app.	
Colours	Matte Titanium	Icy White Pearl	Icy White Pearl	



RANGER CREW SP 570 EPS



RANGER CREW XP 1000 PREMIUM EPS



RANGER CREW XP 1000 EPS PREMIUM NORTHSTAR

	RANGER CREW SP 570 EPS	RANGER CREW XP 1000 PREMIUM EPS	RANGER CREW XP 1000 EPS PREMIUM NORTHSTAR
ENGINE	Engine Type	4-Stroke Single Cylinder DOHC	4-Stroke Twin Cylinder DOHC
	Displacement	567cc	999cc
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection
DRIVETRAIN	Cooling	Liquid	Liquid
	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft
	Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Standard / Not Equipped
	Front Suspension	MacPherson Strut 22.9 cm Travel	Dual A-Arm 27.9 cm Travel
	Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 27.9 cm Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
	Parking Brake	Park In-Transmission	Park In-Transmission
	Front Tyres	25 x 8-12; Carlisle 489	27 x 9-14; Pro Armor X-Terrain
TYRES AND WHEELS	Rear Tyres	25 x 10-12; Carlisle 489	27 x 11-14; Pro Armor X-Terrain
	Wheels	12" Black Aluminum	35.6 cm Aluminum
	Wheelbase	266.7 cm	287 cm
DIMENSIONS / CAPACITIES	Dry Weight	614 kg	859 kg
	Overall Vehicle Size (L x W x H)	361 x 152 x 185 cm	386 x 158 x 196 cm
	Ground Clearance	26.7 cm	33 cm
	Seating Capacity	4	6
	Fuel Capacity	35.9 L	43.5 L
	Dump Box Capacity Dimensions (L x W x H)	81 x 107 x 29 cm	93.3 x 137.8 x 31.75 cm
	Front/Rear Rack or Box Capacity	N.A / 227 kg	N.A / 454 kg
	Payload Capacity	499 kg	767 kg
	Hitch Towing Rating	680 kg	1,134 kg
	Hitch Type	Standard 5cm Receiver	Standard 5cm Receiver
FEATURES	Cargo System/Cab	Lock & Ride	Lock & Ride
	Lighting	Halogen Headlamps, 55W low beam, 60W high beam, LED Taillamps	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps
	Electronic Power Steering	Standard	Standard
	Adjustable Driver's Seat	Not Equipped	Standard
	Tilt Steering	Standard	Standard
	Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
	Other Standard Features	Premium Cut & Sew Seats, Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port	Premium Cut & Sew Seats, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), Standard In-Dash SAE Charge Port
	Colours	Polaris Blue	Sunset Red Metallic
			Ghost White Metallic



PRO XD DIESEL AWD EPS



PRO XD DIESEL CREW AWD EPS

ENGINE	PRO XD DIESEL AWD EPS	PRO XD DIESEL CREW AWD EPS
Engine Type	3-Cylinder Kubota® Diesel	3-Cylinder Kubota® Diesel
Displacement	898 cc	898 cc
Fuel System / Battery	Mechanical Injection	Mechanical Injection
Cooling	Liquid	Liquid
Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft
Drive System	AWD - Ultra Turf	AWD - Ultra Turf
Engine Braking System / Active Descent Control	Standard	Standard
Front Suspension	22.9 cm	22.9 cm
Rear Suspension	22.9 cm	22.9 cm
Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
Parking Brake	Park in Transmission + Separate Mechanical Parking Brake Standard	Park in Transmission + Separate Mechanical Parking Brake Standard
Front Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)	26 x 10-12 Duro® DI-2042 Power Grip (M/T)
Rear Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)	26 x 10-12 Duro® DI-2042 Power Grip (M/T)
Wheels	12 x 6 HD Steel - Gloss Black	12 x 6 HD Steel - Gloss Black
Wheelbase	215.9 cm	297.2 cm
Dry Weight	723 kg	873 kg
Overall Vehicle Size (L x W x H)	320 x 159 x 191 cm	399 x 159 x 191 cm
Ground Clearance	27.9 cm	27.9 cm
Seating Capacity	3	6
Fuel Capacity	43.5 L	43.5 L
Bed Box Dimensions (L x W x H)	110.5 x 137 x 29 cm	110.5 x 137 x 29 cm
Front/Rear Rack or Box Capacity	567 kg	567 kg
Payload Capacity	862 kg	941 kg
Hitch Towing Rating	1,134 kg	1,134 kg
Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver
Cargo System/Cab	Lock & Ride	Lock & Ride
Lighting	55W low / 60W high, LED Tail	55W Low/ 60W High, LED Tail
Electronic Power Steering	Standard	Standard
Adjustable Driver's Seat	Not Equipped	Not Equipped
Tilt Steering	Standard	Standard
Instrumentation	All Digital Gauge, Speedometer, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm	All Digital Gauge, Speedometer, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm
Other Standard Features	Horn, Backup Alarm	Horn, Backup Alarm, Kevlar Backed Vinyl Seat Covering
Colours	Grey	Grey

ENGINE

DRIVETRAIN

SUSPENSION

BRAKES

TYRES AND WHEELS

DIMENSIONS / CAPACITIES

FEATURES



GENERAL 1000 EPS PREMIUM - 60"



GENERAL 1000 EPS DELUXE - 60"



GENERAL XP 1000 EPS DELUXE- 64"



GENERAL XP 4 1000 EPS DELUXE

ENGINE	Engine Type	ProStar 1000 4-Stroke DOHC Twin Cylinder	ProStar 1000 4-Stroke DOHC Twin Cylinder	ProStar 1000 4-Stroke DOHC Twin Cylinder	ProStar 1000 4-Stroke DOHC Twin Cylinder
	Displacement	999cc	999cc	999cc	999cc
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
	Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	Engine Braking System / Active Descent Control	Not Equipped	Not Equipped	Not Equipped	Not Equipped
	Front Suspension	Dual A-Arm with Stabilizer Bar 31.1 cm Travel	Dual A-Arm with Stabilizer Bar 31.1 cm Travel	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar 35.6 cm Travel	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar 35.6 cm Travel
BRAKES	Rear Suspension	Dual Arm IRS with Stabilizer Bar 33.5 cm Travel	Dual Arm IRS with Stabilizer Bar IRS 33.5 cm Travel	Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar 35.6 cm Travel	Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar 35.6 cm Travel
	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
TYRES AND WHEELS	Parking Brake	Park In-Transmission	Park In-Transmission	Park In-Transmission	Park In-Transmission
	Front Tyres	27 x 9-14; Maxxis Coronado	27 x 9-14; Maxxis Coronado	30 x 10-15; Pro Armor Crawler XG	30 x 10-15; Pro Armor Crawler XGF
DIMENSIONS / CAPACITIES	Rear Tyres	27 x 11-14; Maxxis Coronado	27 x 11-14; Maxxis Coronado	30 x 10-15; Pro Armor Crawler XG	30 x 10-15; Pro Armor Crawler XG
	Wheels	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum
	Wheelbase	206 cm	206 cm	211 cm	292 cm
	Dry Weight	676 kg	700 kg	776.5 kg	933.5 kg
	Overall Vehicle Size (L x W x H)	295.6 x 158.7 x 187 cm	300 x 158.7 x 190.5 cm	300 x 162.5 x 190.5 cm	381.5 x 162.56 cm x 195.59
	Ground Clearance	30.5 cm	30.5 cm	34.3 cm	34.3 cm
	Seating Capacity	2	2	2	4
	Fuel Capacity	35.9 L	35.9 L	35.9 L	35.9 L
	Rear Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm	69.8 x 109 x 29.5 cm	69.8 x 109 x 29.5 cm	69.8 x 109 x 29.5 cm
	Front/Rear Rack or Box Capacity	272 kg	272 kg	N/A kg / 272 kg	N/A kg / 272 kg
FEATURES	Payload Capacity	499 kg	499 kg	499 kg	580 kg
	Hitch Towing Rating	680 kg	680 kg	680 kg	680 kg
	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver
	Cargo System/Cab	Lock & Ride	Lock & Ride	Lock & Ride®	Lock & Ride
	Lighting	LED Headlight w/ Accent & LED Taillights	LED Headlight w/ Accent & LED Taillights	LED Headlight w/ Accent & LED Taillights	LED Headlight w/ Accent & LED Taillights
	Electronic Power Steering	Standard	Standard	High Output EPS	Standard
	Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
	Other Standard Features	Polaris HD 4500 LB Winch and Low Profile HD Front Bumper	Polaris HD 4500 LB Winch, Sport Low Profile Front Bumper, Sport Roof, Convex Rear View Mirror, Stage 1 Rockford Fosgate Audio	Polaris HD 4500 LB Winch, Sport Low Profile Front Bumper, ProFit Sport Roof, Convex Rear View Mirror, Rockford Fosgate Stage 1 Audio	POLARIS HD 4500 LB Winch, Sport Low Profile Front Bumper, ProFit Sport Roof, Convex Rear View Mirror, Rockford Fosgate Stage 1 Audio
	Colours	Titanium Metallic	Steel Blue	Ghost White Metallic	Black Crystal



RZR TRAIL 900 EPS PREMIUM - 50"



RZR TRAIL S 1000 PREMIUM - 60"



RZR XP 1000 SPORT EPS - 64"



RZR XP 4 1000 SPORT EPS - 64"

ENGINE	ENGINE			
DRIVETRAIN	DRIVETRAIN			
SUSPENSION	SUSPENSION			
BRAKES	BRAKES			
TYRES AND WHEELS	TYRES AND WHEELS			
DIMENSIONS / CAPACITIES	DIMENSIONS / CAPACITIES			
FEATURES	FEATURES			
Engine Type	4-Stroke DOHC Single Cylinder	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder
Displacement	875cc	999cc	999cc	999cc
Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
Cooling	Liquid	Liquid	Liquid	Liquid
Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
Drive System	High Performance True On-Demand AWD/2WD/VersaTracTurf Mode	High Performance True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD
Engine Braking System / Active Descent Control	Not Equipped	Standard / Not Equipped	Not Equipped	Not Equipped
Front Suspension	Dual A-Arm with Stabilizer Bar 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 31.1 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel
Rear Suspension	Dual A-Arm with Stabilizer Bar 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 33.5 cm Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel
Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Parking Brake	Park In Transmission	Park In-Transmission	Park In-Transmission	Park In-Transmission
Front Tyres	26 X 8 X 12; PXT	27 x 9-12; Trailmaster A/T	29 x 9-14; Radial Tyre	29 x 9-14; Radial Tyre
Rear Tyres	26 X 9 X 12; PXT	27 x 11-12; Trailmaster A/T	29 x 11-14; Radial Tyre	29 x 11-14; Radial Tyre
Wheels	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum
Wheelbase	200.7 cm	200.7 cm	228.6 cm	297.2 cm
Dry Weight	571 kg	600 kg	662 kg	758 kg
Overall Vehicle Size (L x W x H)	282 x 127 x 172.5 cm	282 x 152.4 x 176 cm	302.2 x 162.6 x 187.3 cm	370.8 x 162.6 x 187.3 cm
Ground Clearance	27.9 cm	31.8 cm	35.6 cm	35.6 cm
Seating Capacity	2	2	2	4
Fuel Capacity	35.9 L	35.9 L	35.9 L	35.9 L
Rear Box Dimensions (L x W x H)	52.5 x 94 x 20 cm	52.5 x 94 x 20 cm	72.0 x 57.0 x 17.8 cm	72.0 x 57.0 x 17.8 cm
Front/Rear Rack or Box Capacity	N/A / 136 kg	N/A / 136 kg	N/A 136.1 kg	N/A / 136.1 kg
Payload Capacity	336 kg	336 kg	336 kg	408 kg
Hitch Towing Rating	680 kg	680 kg	N/A	N/A
Hitch Type	Standard 3.2 cm Receiver	Standard 3.2 cm Receiver	Not Equipped	Not Equipped
Cargo System/Cab	Lock & Ride	Lock & Ride	Lock & Ride®	Lock & Ride
Lighting	Front Blacked Out Signature White LED Low/High with Accent Lights & Red LED Tail / Brake Lights	Front Blacked Out Signature White LED Low/High with Accent Lights & Red LED Tail / Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights	Signature Blacked Out White LED Low/High & Red LED Tail / Brake Lights
Electronic Power Steering	Yes	Standard	Standard with Quick Turn Rack	Standard with Quick Turn Rack
Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet + 12V Power Plug	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet + 12V Power Plug	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
Other Standard Features	Adjustable Tilt Steering	Adjustable Tilt Steering, Polaris P.A.S.S	N/A	N/A
Colours	Polaris Blue	Polaris Blue	Cruiser Black	Cruiser Black



RZR PRO XP SPORT EPS - 64"



RZR PRO XP PREMIUM EPS - 64"



RZR PRO XP ULTIMATE EPS - 64"

ENGINE	Engine Type		
	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder
	Displacement		
	925cc	925cc	925cc
	Fuel System / Battery		
	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling		
	Liquid	Liquid	Liquid
	Transmission/ Final Drive		
	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
	Drive System		
	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
	Engine Braking System / Active Descent Control		
	Not Equipped	Not Equipped	Not Equipped
	Front Suspension		
	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel, 43.2 cm Wheel Travel
	Rear Suspension		
	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel, 50.8 cm Wheel Travel
	Front/Rear Brakes		
	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers
	Parking Brake		
	Park In-Transmission	Park In-Transmission	Park In-Transmission
	Front Tyres		
	30 x 10-14 MAXXIS Carnivore; Wheel Size 14x6	30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x6	30 x 10R14 MAXXIS Carnivore; Wheel Size 14x6
	Rear Tyres		
	30 x 10-14 MAXXIS Carnivore; Wheel Size 14x7	30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x7	30 x 10R14 MAXXIS Carnivore; Wheel Size 14x7
	Wheels		
	Cast Aluminum	Cast Aluminum	Cast Aluminum
	Wheelbase		
	244 cm	244 cm	244 cm
	Dry Weight		
	796Kg	809 kg	814 kg
	Overall Vehicle Size (L x W x H)		
	320 x 162.6 x 182.1 cm	320 x 162.6 x 182.1 cm	320 x 162.6 x 182.1 cm
	Ground Clearance		
	36.8 cm	36.8 cm	36.8 cm
	Seating Capacity		
	2	2	2
	Fuel Capacity		
	45.4 L	45.4 L	45.4 L
	Rear Box Dimensions (L x W x H)		
	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm
	Front/Rear Rack or Box Capacity		
	N/A / 136.1 kg	N/A / 136.1 kg	N/A / 136 kg
	Payload Capacity		
	336 kg	336 kg	336 kg
	Hitch Towing Rating		
	N/A	N/A	N/A
	Hitch Type		
	Not Equipped	Not Equipped	Not Equipped
	Cargo System/Cab		
	Lock & Ride®	Lock & Ride®	Lock & Ride®
	Lighting		
	White LED Low/High & Red LED Tail / Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting
	Electronic Power Steering		
	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping Adjustment; Ride Command Push Button Controls	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; DYNAMIX and Ride Command Push Button Controls
	Instrumentation		
	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	RIDE COMMAND® 7 in Glove-Touch Display; Digital Instrumentation, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	RIDE COMMAND® 7" Glove-Touch Display; DYNAMIX 2.0 Visualizer, Digital Instrumentation, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4" LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
	Other Standard Features		
	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, Polaris P.A.S.S.	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, USB Charging, Polaris P.A.S.S.	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, USB Charging, Polaris P.A.S.S.
	Colours		
	Cruiser Black	Matte Orange Rust	Super Graphite



RZR PRO XP 4 SPORT EPS - 64"



RZR PRO XP 4 ULTIMATE - 64"

	RZR PRO XP 4 SPORT EPS - 64"	RZR PRO XP 4 ULTIMATE - 64"		
ENGINE	Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged	
	Displacement	925cc	925cc	
FUEL SYSTEM / BATTERY	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	
	Cooling	Liquid	Liquid	
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	
	Drive System	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	
SUSPENSION	Engine Braking System / Active Descent Control	Not Equipped	Not Equipped	
	Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	
BRAKES	Rear Suspension	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	
	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore XL Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore XL Front and Dual-Bore Rear Calipers	
TYRES AND WHEELS	Parking Brake	Park In-Transmission	Park In-Transmission	
	Front Tyres	30 x 10R14 MAXXIS Carnivore; Wheel Size 14x6	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6	
DIMENSIONS / CAPACITIES	Rear Tyres	30 x 10R14 MAXXIS Carnivore; Wheel Size 14x7	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x7	
	Wheels	Cast Aluminum	Cast Aluminum	
	Wheelbase	317.5 cm	317.5 cm	
	Dry Weight	914 Kg	937 kg	
	Overall Vehicle Size (L x W x H)	393.7 x 162.6 x 186.9 cm	393.7 x 162.6 x 186.9 cm	
	Ground Clearance	36.8 cm	36.8 cm	
	Seating Capacity	4	4	
	Fuel Capacity	49.2 L	49.2 L	
	Rear Box Dimensions (L x W x H)	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm	
	Front/Rear Rack or Box Capacity	N/A / 136.1 kg	N/A / 136.1 kg	
FEATURES	Payload Capacity	408 kg	408 kg	
	Hitch Towing Rating	N/A	N/A	
	Hitch Type	Not Equipped	Not Equipped	
	Cargo System/Cab	N/A	Fold Flat Rear Storage, convertible rear seat storage with integrated tie down points, 70.4 x 134.1 x 49.53 cm	
	Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	
	Electronic Power Steering	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls	
	Instrumentation	Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, Front and Rear DC Outlet	RIDE COMMAND® 7 in Glove-Touch Display; DYNAMIX 2.0 Visualizer, Digital Instrumentation, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front & 2 Rear Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, Front and Rear DC Outlet	
			Other Standard Features	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, Polaris P.A.S.S.
	Colours	White Lightning	Army Green	



RZR TURBO R ULTIMATE EPS



RZR TURBO R 4 ULTIMATE EPS



RZR PRO R ULTIMATE EPS



RZR PRO R 4 ULTIMATE EPS

	RZR TURBO R ULTIMATE EPS	RZR TURBO R 4 ULTIMATE EPS	RZR PRO R ULTIMATE EPS	RZR PRO R 4 ULTIMATE EPS	
ENGINE	Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder
	Displacement	925cc	925cc	1997cc	1997cc
	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid	Liquid
DRIVETRAIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
	Drive System	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock
ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL	Not Equipped	Not Equipped	Not Equipped	Not Equipped	
SUSPENSION	Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 Piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
	Rear Suspension	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
	Parking Brake	Park In-Transmission	Park In-Transmission	Park In-Transmission	Park In-Transmission
TYRES AND WHEELS	Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
	Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
	Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern
	Wheelbase	244 cm	317.5 cm	265.4cm	339.1 cm
DIMENSIONS / CAPACITIES	Dry Weight	913 kg	1,037 kg	992 kg	1,125 kg
Overall Vehicle Size (L x W x H)	325 x 188 x 189 cm	340 x 188 x 196 cm	347 x 188 x 185 cm	420 x 188 x 194 cm	
Ground Clearance	40.6 cm	40.6 cm	40.6 cm	40.6 cm	
Seating Capacity	2	4	2	4	
Fuel Capacity	45.4 L	49.2 L	45.4 L	46.56 L	
Box Dimensions (L x W x H)	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm	75 x 60.5 x 20.6 cm	75 x 60.5 x 20.6 cm	
Box Capacity	136 kg	136 kg	136 kg	136 kg	
Payload Capacity	331 kg	526 kg	336 kg	408 kg	
Hitch Towing Rating	N/A	N/A	N/A	N/A	
Hitch Type	Not Equipped	Not Equipped	Not Equipped	Not Equipped	
Cargo System/Cab	Lock & Ride	Lock & Ride® Fold Flat Rear Storage, convertible rear seat storage with integrated tie down points, (70.4 x 134.1 x 49.53 cm)	Ride Command, Factory Equipped Cargo Liner	Lock & Ride; Convertible Fold Flat rear seat storage with integrated tie down points, 70.4 x 134.1 x 49.53 cm Factory Equipped Cargo Liner	
FEATURES	Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls
	Instrumentation	RIDE COMMAND™ 7" Glove-Touch Display; Digital Instrumentation, Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND™ 7" Glove-Touch Display; Digital Instrumentation, Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front and 2 Rear Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND™ 7" Glove-Touch Display; Digital Instrumentation, Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND™ 7" Glove-Touch Display; Digital Instrumentation, Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front & 2 Rear Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center; User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator
Other Standard Features	High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards	High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards	High Output 1700W Charging System, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)	High Output 1700W Charging System, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)	
Colours	Onyx Black	Onyx Black	Crystal Blue	Crystal Blue	

NOTES

NOTES

YOUTH

AGRICULTURE /
UTILITY

COMMERCIAL /
UTILITY

WORK AND
PLAY

SPORT
RECREATIONAL



POLARIS

Think Outside

www.polarisaustralia.com

[/polarisorv_au](https://www.instagram.com/polarisorv_au)

[/PolarisAustralia](https://www.facebook.com/PolarisAustralia)

[/TeamRZR](https://www.facebook.com/TeamRZR)

Polaris reserves the right to withdraw any product from sale or change specifications and pricing without notice. Confirm model specifications and availability with your Polaris Dealer prior to ordering. The Polaris range is not intended for and may not be registered for on-road use. All competitive comparisons are based on published manufacturer specifications available at December 2021 unless otherwise specified. See other manufacturers for latest specifications. All photography taken with professional riders and drivers. For your safety, always operate Polaris products as instructed in the product manual and on warning labels. Never carry passengers on any product not designed for such use. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others. Avoid excessive speeds and be particularly careful on difficult terrain. ©Polaris Sales Australia Pty Ltd ABN 62 088 081 949, Registered Office: 36 Grimes Court, Derrimut, VIC 3026. Printed December 2021.